

# AUTHOR INDEX

## VOLUME 50

- Abbas, H. K., 482  
 Abraham, M., 724  
 Aiking, Harry, 1262  
 Akey, David H., 882  
 Akin, Danny E., 825  
 Alazard, D., 732  
 Al-Harithy, R., 1531  
 Alexander, Martin, 323, 342, 816, 977, 1132  
 Alic, Margaret, 27  
 Allen, Michael F., 1123  
 Alperin, Marc J., 940  
 Amaro, Carmen, 426  
 Anderson, Roger L., 1343  
 Andrews, Robert E., Jr., 737  
 Andrieux, C., 1258  
 Appleton, Nigel, 63  
 Archer, David B., 1233  
 Arnau, Amilcar, 426  
 Aziz, Taufiqul, 701  
  
 Baker, John P., 1439  
 Bakhtiet, Nouna, 690  
 Balkwill, David L., 580  
 Banwell, J. G., 68  
 Barabás, György, 438  
 Baranowski, J. D., 546  
 Barbour, W. Mark, 41  
 Barik, Sudhakar, 304  
 Barros, M. E. C., 721  
 Bartha, R., 498  
 Barz, Wolfgang, 45  
 Basch, Harold I., 91  
 Bataillé, Nelly, 951  
 Bauer, James E., 81  
 Bender, Gary R., 1414  
 Benedek, Ágnes, 438  
 Benkhemmar, Omar, 1087  
 Benner, Ronald, 971  
 Bennett, J. W., 487  
 Bergdoll, Merlin S., 1315  
 Bergers, W. W. A., 656  
 Berzofsky, Ronald N., 91  
 Bessette, Alan E., 1535  
 Beuchet, Larry R., 934  
 Bezanson, G. S., 1279  
 Bibilos, Margaret M., 737  
 Bilinski, Carl A., 1330  
 Bilous, Doris, 243  
 Bishop, P. L., 120  
 Bitsura, Jo Ann, 261  
 Blair, Neal, 996  
 Blanchette, Robert A., 568  
 Bland, Lee A., 1343  
 Blankenship, L. C., 249  
 Blaschek, Hans P., 1097  
 Blix, Arnoldus S., 144  
 Blocher, John C., 274  
 Bodie, Elizabeth A., 629, 1483  
 Bohlool, B. Ben, 1171  
 Bollin, Gary E., 1128  
 Boone, David R., 140  
 Boosalis, Michael G., 1123  
 Bopp, Cheryl, 611  
 Bordner, Robert H., 755  
 Bossard, Peter, 706  
 Bothast, R. J., 1444  
 Bott, T. L., 508  
 Bottomley, Peter J., 1422  
 Boucherie, Hélian, 951  
  
 Bouvier-Fourcade, Isabelle, 1087  
 Bouwer, Edward J., 527  
 Bowles, Linda K., 1165  
 Brannon, R., 1531  
 Breittmayer, Jean-Philippe, 38  
 Brenner, Kristen P., 755  
 Brewin, Nicholas J., 791  
 Brill, Winston J., 1115  
 Broadway, Susan C., 1378  
 Brousse, Michel, 951  
 Brulla, W. J., 304  
 Brunner, W., 1058  
 Bryan, Barbara A., 1301  
 Bryant, M. P., 304  
 Buchanan, Robert L., 1027  
 Buckmire, Francis L. A., 562  
 Bulla, Lee A., Jr., 737  
 Bullerman, Lloyd B., 919  
 Bulmer, Glenn S., 548  
 Buras, Netty, 989  
 Burdige, David J., 491  
 Burge, Wylie D., 887  
 Burger, Scott R., 487  
 Burmeister, H. R., 311  
 Busta, F. F., 16, 274  
  
 Camper, Anne K., 1378  
 Canale-Parola, Ercole, 172, 212, 807  
 Capone, Douglas G., 81  
 Cardona, A., 183  
 Carlson, Curtis A., 1301  
 Carlson, Robert E., 127  
 Carlson, Russell W., 1219  
 Carlucci, A. F., 194  
 Carman, George M., 846  
 Carpenter, J. A., 1110  
 Carrillo, Martha, 468  
 Casida, L. E., Jr., 1496  
 Catena, Anthony, 629  
 Cauvin, Françoise, 38  
 Ceraso, Marianne, 1149  
 Cerniglia, Carl E., 10, 265, 649  
 Chang, Philip Lee, 1545  
 Chang, Shenq-Chyi, 729  
 Charriere, Guy, 1208  
 Chatterjee, Arun K., 1, 894  
 Chen, Wei, 1451  
 Cheung, Peter Y. K., 984  
 Chmielewski, M. A., 602  
 Christensen, Bjørn E., 837  
 Christianson, Kris K., 696  
 Chu, Fun Sun, 115  
 Cirigliano, Michael C., 846  
 Clark, Burton D., 623  
 Clark, G. W., 177  
 Clausen, Einar, 1556  
 Collins-Thompson, David L., 1550  
 Collmer, A., 615  
 Colwell, Frederick S., 1357  
 Colwell, Rita R., 350, 1002, 1388  
 Compeau, G. C., 498  
 Conley, Louis F., 1149  
 Conrad, R., 589, 595  
 Conway, Lucille K., 795  
 Cooper, D., 68  
  
 Cooper, David G., 160  
 Cooper, James F., 91  
 Cornil, M.-F., 1509  
 Costerton, J. W., 68  
 Couche, Graham A., 1196  
 Craven, S. E., 249  
 Crawford, Ronald L., 127, 1512, 1542  
 Croan, Suki, 1274  
 Cuhel, Russell, 543  
 Cunningham, Scott D., 791  
  
 Daeschel, Mark A., 1538  
 Daigle, Kim W., 914  
 Daly, James G., 868  
 Daly, Kevin R., 704  
 Dandekar, Abhaya M., 441  
 Davis, Barry J., 1343  
 Davis, Claire L., 743  
 Davis, Craig, 872  
 Dawson, Karl A., 1439  
 Dean, Donald H., 623  
 de Giori, Graciela Savoy, 1339  
 Dehority, Burk A., 356  
 Delmas, Claude L., 767  
 Deming, Jody W., 1002  
 De Mot, René, 1474  
 de Ruiz Holgado, Aida P., 1339  
 Deschatelets, L., 924  
 Des Marais, David, 996  
 Detroy, R. W., 152  
 de Valdez, Graciela Font, 1339  
 Devleeschouwer, M. J., 1509  
 Dinuzzo, Anthony, 1548  
 Dodds, Karen L., 1550  
 Dohman, T. P., 680  
 Dony, J., 1509  
 Dowdle, Stephen F., 1171  
 Dubos, F., 1258  
 Duck, D., 1279  
 Ducluzeau, R., 1258  
 Duek, Lea, 989  
 Dunne, W. Michael, Jr., 562  
 DuPont, Herbert L., 261  
  
 Eardly, Bertrand D., 1421  
 Ehrenshaft, Marilyn, 169  
 Eighmy, T. Taylor, 120  
 Elkan, Gerald H., 41  
 Ellefson, William L., 1165  
 El-Sherbeeny, M. R., 611  
 Emerson, Steven, 1268  
 Enkiri, Nancy K., 887  
 Erlich, Kenneth C., 914  
 Estrada, Eddie, 468  
 Evans, Harold J., 537  
  
 Fabiano, E., 183  
 Falconer, Ian R., 1292  
 Farrah, Samuel R., 1502  
 Favero, Martin S., 1343  
 Fayolle, Françoise, 1238  
 Federle, Thomas W., 10  
 Fiechter, Armin, 503  
 Fitz-James, P. C., 56  
 Fleet, Graham H., 670, 727, 872  
  
 Flippin-Anderson, Judith L., 1225  
 Flygenring, Knud, 704  
 Focht, D. D., 1058  
 Forsberg, Cecil W., 220, 1043, 1068  
 Forsell, James H., 1304  
 Forsén, Raili I., 174  
 Francis, D. W., 535  
 Freeman, James P., 265, 649  
 Freeman, L. F., III, 553  
 Freer, S. N., 152  
 Fukuda, Yasuki, 1200  
 Fukushima, Hiroshi, 710  
  
 Gallois, Annie, 1048  
 Garay, Esperanza, 426  
 Gartside, Peter S., 755  
 Gary, G. William, 261  
 Gatley, Stephen, 63  
 Gaudemer, Françoise, 1087  
 Gauthier, Michel J., 38  
 Gensler, Diana R., 623  
 Genthner, Fred J., 1007  
 George, Clifford, 1225  
 Gerba, Charles P., 1375  
 Ghiorse, William C., 580  
 Ghosh, Arati, 1137  
 Ghosh, Bijan Kumar, 1137  
 Gibbins, L. N., 220, 1043, 1068  
 Gibson, Alan H., 1021  
 Gilardi, Richard, 1225  
 Gildberg, Asbjørn, 1556  
 Glenn, Marian, 1137  
 Gold, Michael H., 27  
 Goldner, Steven B., 202  
 Goldstein, Rebecca M., 977  
 Govers, Harrie, 1262  
 Graham, Donald C., 532  
 Gravelle, Clifton R., 1343  
 Gray, Lynn E., 1328  
 Gray, Rodney J. H., 1404  
 Grazia, Luigi, 1064  
 Grbić-Galić, Dunja, 292, 1052  
 Grecz, N., 1531  
 Greenhaigh, Roy, 550  
 Greenwood, Yvonne, 144  
 Gregory, David A., 704  
 Grimont, Patrick A. D., 1048  
 Grove, M. D., 311  
 Gueriot, Mary Lou, 350  
  
 Habte, Mitiku, 701, 1553  
 Hackman, Barbara, 1128  
 Hahn, E. W., 1531  
 Haines, John R., 755  
 Halsall, Dorothy M., 1021  
 Hambleton, Peter, 63  
 Hamdy, M. K., 1110  
 Hamilton, Elizabeth A., 179  
 Hammock, Bruce D., 984  
 Hamparian, Vincent V., 280  
 Hannaway, David B., 1422  
 Hanus, F. Joe, 537  
 Harris, Jane E., 1107  
 Harrison, M. A., 1110  
 Hart, L. Patrick, 332  
 Hartl, Daniel L., 749  
 Hawkins, Peter R., 1292

- Hazen, Terry C., 468  
 Heard, Gillian M., 727  
 Heatherbell, D. A., 680  
 Heflich, Robert H., 649  
 Heisick, Judy, 1313  
 Heitkamp, Michael A., 265  
 Heldal, Mikal, 1251  
 Helme, Elsie J., 91  
 Henrichs, Susan M., 543  
 Henson, J. Michael, 1428  
 Herman, Richard E., 1103  
 Hermann, Monique, 1238  
 Hespell, Robert B., 1014, 1361  
 Higuchi, Takayoshi, 1505  
 Hill, Walter E., 1187  
 Hino, Tsuneo, 1368  
 Hodson, Robert E., 553, 971, 1177  
 Hoeniger, Judith F. M., 315  
 Hoff, John C., 261, 1118  
 Hong, Soobok L., 558  
 Hook, Leonard A., 1007  
 Hou, Kenneth, 1375  
 Howard, R., 68  
 Hsieh, Ke Ming, 1155  
 Huang, Li, 1043  
 Hughes, John H., 280  
 Hunt, J. M., 535  
 Hussong, David, 887  
 Hutkins, Robert, 772, 777  
 Hwang, Huey-Min, 1177
- Iandolo, John J., 696  
 Ibrahim, George F., 670  
 Innamorato, Gino, 1330  
 Insell, J. P., 56  
 Ireland, R. S., 1486  
 Izuagbe, Y. S., 680
- Jackson, Alan R. B., 1292  
 Jäger, Alexander, 1274  
 Jakowec, Michael W., 441  
 James, Douglas W., Jr., 392  
 Jäppinen, Paavo, 163  
 Jarrell, Ken F., 179  
 Jarvis, Bruce B., 1225  
 Javaheri, Mohammad, 698  
 Jaw, R., 1531  
 Jeffrey, Wade H., 431  
 Jenneman, Gary E., 383, 698  
 Jensen, Neil S., 172  
 Jensen, Rodney H., 364  
 Jeter, Randall M., 1301  
 Johnson, LeeAnn K., 127  
 Johnson, Michael G., 337  
 Johnson, Philip C., 261  
 Jokinen, Antti, 163  
 Jones, David T., 477  
 Jones, Susan B., 795  
 Jordan, D. C., 1535  
 Jørgensen, Bo B., 373  
 Joseph, S. W., 1388  
 Jouenne, Thierry, 1208  
 Jung, G., 108  
 Junter, Guy-Alain, 1208
- Kaplan, Arthur M., 1077  
 Kaplan, David L., 1077  
 Kaplan, L. A., 508  
 Kapulnik, Yoram, 791  
 Karl, David M., 706, 1464  
 Katsui, Noriaki, 298  
 Katz, Stanley E., 638
- Kawai, Shingo, 1505  
 Kawakami, Hidekuni, 1451  
 Kelly, Michael T., 1548  
 Kerr, Eric D., 1123  
 Kerrigan, R. W., 1535  
 Keswick, Bruce H., 261  
 Khakhria, R., 1279  
 Kientz, C. E., 656  
 Kimura, Akira, 1200  
 Kirk, T. Kent, 1274  
 Kjosbakken, Johs, 837  
 Klaenhammer, Todd R., 851, 1538  
 Klich, M. A., 602  
 Knapp, Roy M., 383, 698  
 Kok, Jan, 94, 540  
 Kontusaari, Sirpa I., 174  
 Kraft, Birgit, 45  
 Krichevsky, M. I., 1388  
 Kropp, Kathryn D., 1349  
 Krumbein, Wolfgang E., 1296  
 Kubicek, C. P., 1336  
 Kubota, Hiroshi, 1526  
 Kuchta, John M., 21  
 Kuhn, Daisy A., 704  
 Kumazawa, S., 287  
 Kunz, Daniel A., 831  
 Kuritza, Alex P., 958  
 Kuwamura, Kazuko, 676  
 Kwong, Emil, 996
- Lachance, M. A., 763, 1486  
 Lambert, Grant R., 537  
 Lane, Aaron L., 91  
 Largier, Susan T., 477  
 LaRock, Paul A., 1490  
 Larsen, Harold J., 1123  
 Leatham, Gary F., 859  
 LeChevallier, Mark W., 406, 412, 1378  
 Lee, R. F., 1177  
 Lee, Song F., 220, 1068  
 Lee, Yin-Won, 102, 1225  
 Lehrbach, Philip R., 1409  
 Leps, Walter T., 1115  
 Leschine, S. B., 807  
 Leu, Alice, 996  
 Lewis, David L., 553  
 Lewis, Sherry M., 356  
 Li, Shyh-Yuan, 729  
 Lin, Hwaing, 91  
 Lindemann, Julianne, 1229  
 Lindsay, Gene, 91  
 Lion, Leonard W., 1155  
 Lior, H., 1279  
 Liu, Ming-Tsung, 332  
 Long, Susan, 477  
 Lorenz, Michael G., 1296  
 Louis-Seize, G., 924  
 Lovett, J., 535  
 Lyons, Mary J., 670
- Mackel, Donald C., 1343  
 Mackenzie, Andrew M. R., 1322  
 MacKenzie, C. Roger, 243  
 Maczulak, Anne E., 1439  
 Madsen, E. L., 342  
 Maki, James S., 1244  
 Mallory, Lawrence M., 977  
 Mamber, Stephen W., 638  
 Manning, Bradford W., 10  
 Marchal, Rémy, 1238
- Margaritis, A., 763, 1486  
 Marquis, Robert E., 1414  
 Martikainen, Pertti J., 1519  
 Martínez-Drets, G., 183  
 Martinson, Michael M., 127  
 Mary, Patrice, 207  
 Mathiesen, Svein D., 144  
 Mathis, James N., 41  
 Mathrani, Indra M., 140  
 Matsunaga, Tadashi, 238  
 Maxino, Felicisima, 1027  
 Mazzocchi, Dorothy Bruns, 1225  
 McCarty, Perry L., 527  
 McDaniel, L. E., 1192  
 McDaniels, Audrey E., 755  
 McEvoy, James L., 1  
 McFeters, Gordon A., 406, 412, 1378  
 McLaughlin, Jane E., 21  
 McInerney, Michael J., 383, 698  
 McKay, Larry L., 532, 772, 777, 1103  
 McKinley, Vicky L., 1395  
 McLinden, James H., 623  
 McMillan, David C., 265  
 McNamara, Ann M., 21, 1149  
 McNeil, Michael M., 1343  
 Meacher, Cheryl, 257  
 Melling, Jack, 63  
 Melnick, Joseph L., 1181  
 Mentu, Juha, 163  
 Meyer, Hans-Peter, 503  
 Miller, Dwight W., 649  
 Miller, J. David, 550  
 Miller, Raymond D., 749  
 Mills, Dallice, 169  
 Mimura, Toru, 229  
 Mirocha, C. J., 102, 482  
 Mitchell, Ralph, 1244  
 Mitsui, A., 287  
 Moberg, Lloyd J., 1383  
 Modi, Narendra, 63  
 Molin, Göran, 946  
 Molina, Thomas C., 1349  
 Molitoris, E., 1388  
 Møller, Mogens M., 373  
 Molongoski, John J., 1112  
 Montencourt, Bland S., 693  
 Montville, Thomas J., 795  
 Morris, George K., 611  
 Morris, Howard A., 772, 777  
 Moseley, Steve L., 1187  
 Mugnier, J., 108  
 Muldoon, Anne E., 1123  
 Mulligan, Catherine N., 160  
 Muñoz, Elaine, 996  
 Munster, Ann P., 1325  
 Munster, Michael J., 1325  
 Murata, Kousaku, 1200  
 Murray, Patti A., 49  
 Muthukumar, Ganapathy, 1196
- Naidu, Y. M., 1038  
 Nair, G. Balakrish, 724  
 Nakajima, Toshiaki, 238  
 Nakasaki, Kiyohiko, 1526  
 Neilson, Kenneth H., 491  
 Neish, Gordon A., 550  
 Nickerson, Kenneth W., 1196  
 Nielsen, Lars P., 373
- Niemelä, Seppo I., 163  
 Nigam, J. N., 763, 1486  
 Nilsson, Inge, 946  
 Niv, Sara, 989  
 Norland, Svein, 1251  
 Norqvist, Anders, 31  
 Noss, C. I., 1162  
 Novais, Júlio M., 1333  
 Novitsky, James A., 1464  
 Novitsky, Thomas J., 91
- Ochin, Daniel, 207  
 Oglesbee, Stephen E., 1457  
 Ohmiya, Kunio, 1451  
 Oliver, Guillermo, 1339  
 Olivieri, V. P., 1162  
 Olsen, Jerry, 996  
 Orpin, Colin G., 144  
 Otjen, Lewis, 568  
 Ottolenghi, Abramo C., 280  
 Overmeyer, Jean H., 21
- Paa, Alan S., 1115  
 Pacha, R. E., 177  
 Pal, S. C., 724  
 Palumbo, Samuel A., 1027  
 Panchal, Chandra J., 257  
 Para, Michael F., 1128  
 Parks, Leo W., 685  
 Paster, Bruce J., 212  
 Patel, Girishchandra B., 243  
 Paterek, J. Robert, 877  
 Pattee, Peter A., 1315  
 Patterson, John A., 1014  
 Paul, John H., 431  
 Pawlosky, R. J., 482  
 Payment, Pierre, 1308  
 Payne, William L., 1187  
 Pearson, Frederick C., 91  
 Peeler, J. T., 535  
 Peled, Ofra N., 713  
 Pelissier, J. P., 1258  
 Pestka, James J., 332, 1038, 1304  
 Peterson, Robert E., 311, 1328  
 Petras, Stephen F., 1496  
 Pfannenstiel, Mary Ann, 1196  
 Phelps, T. J., 589, 595, 1285  
 Phillips, Donald A., 791  
 Phillips-Conroy, Jane, 749  
 Pidcock, N. A., 693  
 Pignatello, Joseph J., 127  
 Plattner, R. D., 311  
 Plouffe, Joseph F., 1128  
 Podvin, Laurence, 1238  
 Post, Laurie S., 202  
 Preston, David R., 1502  
 Pusch, D. J., 482
- Raa, Jan, 1556  
 Racicot, Terry A., 548  
 Raibaud, P., 1258  
 Ram, Bhanu P., 332  
 Rankin, Clifford C., 755  
 Rao, V. Chalapati, 1181  
 Rawlings, D. E., 721  
 Rech, Maryann, 91  
 Reddy, Gade S., 831  
 Reeburgh, William S., 940  
 Reid, Ian D., 133  
 Reilly, Peter J., 634  
 Rice, E. W., 1118  
 Ridge, Robert W., 717

- Ried, J. L., 615  
 Riemann, Bo, 187  
 Rigsby, Luanne L., 825  
 Rivera-Calderon, Reina Laura, 1322  
 Robb, Frank T., 743  
 Robbers, James E., 558  
 Rodriguez, Russell J., 685  
 Roffey, Roger, 31  
 Rogol, M., 125  
 Röhr, M., 1336  
 Rolfe, Barry G., 717  
 Romano, Jean-Claude, 229  
 Romano, Patrizia, 1064  
 Rönner, Ulf, 801  
 Ross, Lynn M., 1  
 Rothman, D., 125  
 Rousseau, Dominique M., 529  
 Routman, Eric, 749  
 Ruggeri, Bruce A., 1404  
 Runnegar, Maria T. C., 1292  
 Russell, James B., 1368  
 Russell, Sterling A., 537
- Saber, Diane L., 1512  
 Sabourin, Josanne R., 623  
 Sá-Correia, Isabel, 1333  
 Saddler, J. N., 924  
 Saikusa, Toshihiko, 1200  
 Sakai, D. K., 1031  
 Sakamoto, Tae, 676  
 Salyers, Abigail A., 958  
 Samuelsson, Matts-Ola, 812  
 Sandine, W. E., 680  
 Sands, Jeffrey A., 693  
 Santangelo, Joseph D., 477  
 Sapers, Gerald M., 795  
 Sargent, Harold E., 91  
 Sarkar, B. L., 724  
 Satterwhite, Terry K., 261  
 Sauch, Judith F., 1434  
 Schaefer, F. W., 1118  
 Schiefer, H. Bruno, 550  
 Schiemann, Donald A., 412  
 Schmidt, Steven K., 323  
 Schroeder, Lisa L., 919  
 Schwartz, Robert D., 629, 1483  
 Sebal, Madeleine, 1238  
 Sechter, I., 125  
 Secor, Sandy L., 261  
 Sequeira, Luis, 605  
 Seto, Masayuki, 1132  
 Sharp, Richard J., 1325  
 Shibasaki, Isao, 298
- Shimizu, Shoichi, 1451  
 Shimosaka, Makoto, 1200  
 Shoda, Makoto, 1526  
 Shone, Clifford, 63  
 Shpak, B., 125  
 Shroeder, D. J., 102  
 Shuler, Michael L., 1155  
 Shuttleworth, Kay L., 573  
 Sierks, Michael R., 634  
 Silas, J. C., 1110  
 Sillanpää, Paavo, 163  
 Silveira, Neliane F. A., 872  
 Silver, M., 663  
 Simidu, Usio, 781  
 Simkins, Stephen, 323, 816  
 Sindhuhardja, W., 1388  
 Singh, Ajaib, 406, 412  
 Sivelä, Seppo, 1100  
 Sizemore, Ronald K., 420  
 Slade, James W., 91  
 Slegers, Guido A., 529  
 Slininger, P. J., 1444  
 Smidsrød, Olav, 837  
 Smith, Linda Tombras, 441  
 Smith, Paul H., 877, 1428  
 Sobsey, Mark D., 1457  
 Solberg, Myron, 202  
 Soli, M. Grazia, 1064  
 Somasegaran, P., 398  
 Somers, Eileen B., 1094  
 Sörensson, Fred, 801  
 Sox, Thomas E., 1181  
 Speckhard, Marci W., 1094  
 Speidel, Harold K., 1357  
 Spino, Donald F., 1213  
 Stahly, Donald P., 690  
 Stal, Mary H., 1097  
 States, Stanley J., 21, 1149  
 Steenson, Larry R., 851  
 Steinback, Katherine E., 392  
 Stemmer, Willem P. C., 605  
 Stephenson, Thomas E., 1149  
 Stevenson, Roselynn M. W., 868  
 Stewart, Graham G., 257, 1330  
 Strohl, William R., 1007  
 Strom, Peter F., 899, 906  
 Sumner, Susan S., 1094  
 Supanwong, Kamnird, 1451  
 Suslow, Trevor V., 392  
 Suzuki, Tomoo, 965  
 Suzzi, Giovanna, 1064  
 Szabó, István, 438
- Tailliez, Roger, 207  
 Taimisto, Anna-Maija, 1100  
 Takano, Mitsuo, 298  
 Takeda, Kiyoshi, 965  
 Takeuchi, Akira, 298  
 Tate, Robert L., III, 454  
 Taylor, Craig D., 1112  
 Taylor, Gerald R., 1349  
 Taylor, Scott L., 1328  
 Taylor, Steve L., 1094  
 Tebo, Bradley M., 1268  
 Thayer, Donald W., 1027  
 Thompson, Nancy E., 1315  
 Thompson, Sterling S., 1038  
 Thurn, Kerry K., 1, 894  
 Timmis, Kenneth N., 447, 1409  
 Tollison, Steven B., 337  
 Tomei, Francisco A., 1244  
 Tomlins, Richard I., 1404  
 Trudel, Michel, 1308  
 Trusal, Lynn R., 1311  
 Tsuchido, Tetsuaki, 298  
 Tsuchii, Akio, 965  
 Tsukamoto, Kumiko, 781  
 Tumyr, Ole, 1251  
 Tunac, J. B., 1192  
 Tweten, R. K., 696  
 Twohy, Christine W., 91
- Umezawa, Toshiaki, 1505  
 Unz, Richard F., 460, 573  
 Upper, C. D., 1229
- Väättänen, Pentti, 163  
 Vandecasteele, Jean-Paul, 1238  
 van der Stap, J. G. M. M., 656  
 van der Vossen, Jos M. B. M., 94, 540  
 van Dijk, Jan Maarten, 94  
 Van Oostrom, Judy, 257  
 Van Peteghem, Carlos H., 529  
 van 't Riet, Jan, 1262  
 Vatvars, Arturs, 831  
 Venema, Gerard, 94, 540  
 Vennes, John W., 930  
 Verachtert, Hubert, 1474  
 Vestal, J. Robie, 1395  
 Vidon, Doninique J.-M., 767  
 Viegas, Cristina A., 1333  
 von Wright, Atte, 1100  
 Vuokila, Pertti T., 174
- Wachenheim, Daniel E., 1361  
 Wadowsky, Robert M., 21, 1149  
 Wagner, M. K., 16  
 Wait, Douglas A., 1457  
 Walker, Reta A., 670  
 Walker-Caprioglio, Helen M., 685  
 Wallis, Craig, 1181  
 Walser, M. M., 102  
 Walter, Michael V., 930  
 Walton, Thomas E., 882  
 Ward, B. B., 194  
 Ward, Richard L., 1144  
 Warner, Philip J., 1319  
 Warshaw, J. E., 807  
 Wasserfallen, Alain, 447  
 Watanabe, Kunihiko, 1200  
 Watkins, Thomas R., 1404  
 Weary, Marlys E., 91  
 Wei, Ru-Dong, 115, 729  
 Weisleder, D., 311  
 Wells, Joy G., 611  
 Welsh, Philip C., 420  
 West, Charlotte A., 1319  
 White, David C., 1428  
 White, Gail L., 649  
 Wichlacz, Paul L., 460, 573  
 Williams, Aaron C., 1027  
 Williams, E. A., 177  
 Williams, Fred P., Jr., 523  
 Williams, Leslee A., 1490  
 Williams, Richard T., 1542  
 Wilson, James D., 91  
 Wilton-Smith, Peter, 63  
 Winegar, Michael P., 91  
 Winston, Pat E., 1144  
 Wolford, Randy S., 21, 1149  
 Woods, David R., 477, 721  
 Woolfolk, Clifford A., 364  
 Workman, Wesley E., 623
- Yadav, Madhav, 1219  
 Yatawara, C. S., 1225  
 Yee, Robert B., 21, 1149  
 Yen, Teh Fu, 1545  
 Yoshizawa, Takumi, 676  
 Young, David H., 605  
 Young, L. Y., 292  
 Yu, E. K. C., 924
- Zambonelli, Carlo, 1064  
 Zeikus, J. G., 589, 595, 1285  
 Zeyer, Josef, 447, 1409  
 Zinder, Stephen H., 49  
 Zon, Gerald, 1187

# SUBJECT INDEX

## VOLUME 50

- Abyssal plain  
Brazil, 1002  
intercepted particulates, 1002  
observations of barophilic microbial activity, 1002  
sediment samples, 1002
- Acclimation at low temperatures  
*E. gracilis* Z  
tocopherol production, 1404
- Acetate  
coculture metabolism, 589  
*D. vulgaris*, 589  
*M. burkeri*, 589  
methanol, 589  
sulfate-dependent interspecies  $H_2$  transfer, 589
- Acetivibrio cellulolyticus*  
cellulase  
adsorption, 243  
protein profile, 243  
specific activity, 243  
cellulose hydrolysis, 243  
*T. reesei*, 243
- Acetone  
*C. acetobutylicum* P262 mutants, 477  
production, 477
- Acidic environments  
*B. cereus*, 274  
*C. botulinum*, 274  
inhibition of germinant binding, 274
- Acidifying lakes  
bacterial counts, 315  
cellulose, 315  
central Ontario, 315  
microbial decomposition, 315  
reduced pH, 315
- Acidiphilium* spp.  
glucose metabolism, 573  
taxonomic structure, 573
- Acidophilic, heterotrophic bacteria  
*Acidiphilium* spp., 573  
glucose catabolism, 573  
taxonomic status, 573
- Acinetobacter anitratus*  
cross-linked carboxymethyl cellulose degradation, 634  
toxic shock syndrome, 634
- Aconitase  
fermentation by *A. niger*  
citric acid cycle catalysis, 1336
- Adherence  
bacteria to roots, 392  
binding assay, 392  
colonization of roots by bacteria, 392  
*E. coli* AB1157, 392  
*Flavobacterium* sp. strain MtCa-7, 392  
*P. fluorescens* E6-22, 392  
*Pseudomonas* sp. strain WD-13, 392  
*S. epidermis*  
polystyrene, 1322  
polytetrafluoroethylene, 1322  
polyvinyl chloride, 1322  
Silastic, 1322  
*S. marcescens* QMB 1466, 392
- Adhesion  
hydrophilic surfaces, 431  
hydrophobic surfaces, 431  
mechanisms, 431  
*V. proteolytica*, 431
- Aerial dispersal  
epiphytic bacteria  
temporal variation, 1229  
weather conditions, 1229
- Aerobic fermentation  
*Clavispora* sp., 763  
D-xylose, 763  
ethanol, 763
- Aerobic growth  
*K. pneumoniae*  
conversion of glycerol to 3-hydroxypropionaldehyde, 1444
- Aeromonas hydrophila*  
estuarine sediments  
temporal variation, 1490  
variation with salinity, 1490  
variation with sediment depth, 1490  
incidence in foods of animal origin, 1027  
quantitative detection, 1027  
starch-ampicillin agar, 1027
- Aeromonas salmonicida*  
protease-deficient mutant, 1031  
protease producer, 1031  
significance of extracellular protease for growth, 1031
- Aerosols  
*L. pneumophila*  
hot-water faucets, 1128  
shower heads, 1128  
virus detection  
aerosol collection device, 1181  
filter method, 1181
- Aeschynomene* spp.  
*A. hypogaea*, 733  
*M. atropurpureum*, 733  
nodulation  
root, 733  
stem, 733  
*S. guianensis*, 733  
*S. rostrata*, 733
- African yellow baboons  
antibiotic resistance, 749  
*E. coli*, 749  
free ranging, 749  
population structure, 749
- Agar overlay  
method of adherence determination  
*S. epidermis*-plastic surfaces, 1322
- Agars  
*A. hydrophila*  
incidence in foods of animal origin, 1027  
quantitative detection, 1027  
cultivation  
*M. arboriphilus*, 1107  
*M. bryantii*, 1107  
*Methanobacterium* sp., 1107  
*M. formicicum*, 1107  
*M. ruminantium*, 1107  
*M. smithii*, 1107  
GELRITE as substitute, 1107  
starch-ampicillin, 1027
- Agrobacterium radiobacter* K84  
biopolymer gels, 108  
survival, 108  
water activity, 108
- Agrobacterium rhizogenes*  
biopolymer gels, 108  
survival, 108  
water activity, 108
- Agrobacterium tumefaciens*  
biopolymer gels, 108  
survival, 108
- water activity, 108
- 7 $\alpha$ -Hydroxytrichodermol  
*M. roridum* trichothecene  
isolation, 1225  
structure determination, 1225
- Alcohols  
activation, 249  
*C. perfringens*, 249  
heat activation, 249  
injury, 249  
spores, 249
- Alfalfa  
formation of high number of nodules, 1118  
nodule regulation, 1118  
*R. meliloti*  
strain 102F15, 1118  
strain 102F15 mutant (WLA150), 1118
- Alfalfa nodules  
rhizobia  
bean plant nodulation, 1422  
soil acidity, 1422
- Alga-bacterium interactions  
diffusion method for study, 1357  
Lutri plates, 1357  
wastewater oxidation ponds, 1357
- Alteromonas luteoviolacea*  
marine bacteria, 543  
occurrence of  $\beta$ -aminoglutaric acid, 543
- Aluminum hydroxide precipitation  
cellulose filters  
virus concentration, 1502
- Amino acid deamination  
rumen microorganisms  
NADH/NAD ratio, 1368  
reducing-equivalent disposal, 1368
- Amino acid modification  
*B. thuringiensis* subsp. *israelensis* toxin  
effect on larvicidal activity, 1196
- Ammonia-oxidizing bacteria  
immunofluorescence  
culture, 194  
environment, 194  
nitrite-oxidizing bacteria, 194  
serological diversity, 194
- Ammonium  
dissimilatory nitrate reduction, 812  
nitrite, 812  
nitrous oxide, 812  
*P. putrefaciens*, 812
- Ammonium oxidation, autotrophic  
acid coniferous forest soil  
soil pH, 1519  
nitrous oxide emission, 1519
- Amperometric study  
activity  
oxygen-dependent hydrogen uptake, 287  
photohydrogen production, 287  
photooxygen evolution, 287  
respiration, 287  
*A. cylindrica* BG29, 287  
*Oscillatoria* sp. strain Miami BG7, 287
- Ampicillin  
chickens, 638  
effect on gram-negative enteric bacilli, 638
- Amylases, extracellular  
*F. capsuligenum*  
purification and characterization, 1464
- Amylolytic system



- F. capsuligenum*, 1474
- Anabaena cylindrica* B629  
activities measured amperometrically  
oxygen-dependent hydrogen uptake,  
287  
photohydrogen production, 287  
photooxygen evolution, 287  
respiration, 287
- Oscillatoria* sp. strain Miami BG7, 287
- Anaerobes  
degradation of benzenoids, 304
- W. succinogenes*  
strain P-2, 304  
strain PA-1, 304
- Anaerobic cellulolytic bacteria  
isolation, 807  
wetwood of living trees  
elms, 807  
maples, 807
- Anaerobic degradation  
butyrate-degrading bacteria  
association with methanogens, 1244  
rumen microorganisms  
guaiacoxylacetic acid, 1451  
veratrylglycerol- $\beta$ -guaiacyl ether,  
1451
- Anaerobic production  
biosurfactants, 698  
*B. licheniformis* JF-2, 698
- Anaerobic thermophilic digesters  
bacterial lipid analysis  
microbial parameter characterization,  
1428
- Anaerobiosis  
*C. wickerhamii*, 152  
expression of  $\beta$ -1,4-glucosidase, 152
- Analogues  
characterization, 311  
*F. moniliforme* NRRL 13,163, 311  
fusaric acid, 311  
isolation, 311
- Anilines  
microbial mineralization, 447  
*Moraxella* sp. strain G, 447  
ortho-cleavage pathway, 447  
ring substituted, 447
- Anoxic estuarine sediments  
principal methylators of mercury, 498  
sulfate-reducing bacteria, 498
- Anthracene  
degradation, 81  
intertidal marine sediments, 81  
mineralization, 81  
naphthalene, 81
- Antibiotic resistance  
plasmid transfer to *L. plantarum*, 1319
- Antibiotics  
African yellow baboons, 749  
*E. coli*, 749  
population structure, 749  
resistance, 749  
resistant enteric bacteria, 930  
seasonal variation, 930  
sewage and oxidation lagoons, 930  
transfer, 930
- Antigenic fingerprinting  
methanogenic bacteria, 1542
- Antimicrobial activity  
identification and expression  
*K. apiculata*, 1330  
*K. thermotolerans*, 1330
- Antimicrobial agents  
ampicillin, 638  
chickens, 638  
chloramphenicol, 638  
effect on gram-negative enteric bacilli,  
638  
kanamycin, 638  
streptomycin, 638  
tetracycline, 638
- Aquatic environments  
hydrobiologically dissimilar, 724  
serotypes of *V. parahaemolytica*  
isolates, 724
- Aqueous media  
T-2 mycotoxin stability, 1311
- Aqueous systems  
biodegradation of  
N-nitrosodimethylamine, 1077  
soil systems, 1077
- Arabic bread  
microorganism content  
gamma irradiation, 1531  
immunocompromised patients, 1531
- Arachis hypogaea*  
root nodulation, 733  
stem nodulation, 733
- Aromatic ring cleavage  
lignin degradation by *C. versicolor*  
arylglycerol- $\beta$ -aryl ether substructure,  
1505  
arylglycerol- $\gamma$ -formyl ester produc-  
tion, 1505
- Arthrobacter* spp.  
biopolymer gels, 108  
characterization of polymer, 629  
production of polymer, 629  
survival, 108  
water activity, 108
- Ascochyta rabiei*  
biochanin A, 45  
chickpeas, 45  
degradation, 45  
glucoside conjugates, 45  
isoflavones, 45
- Aspartate transport system  
reactor turbulence, 120  
thin wastewater biofilms, 120
- Aspen wood  
delignification, 133  
*M. tremellosus*, 133  
solid-state fermentation, 133
- Aspen wood blocks  
selective delignification, 568  
white rot basidiomycetes  
*I. resinosum*, 568  
*P. medulla-panis*, 568  
*X. frustulatus*, 568
- Aspergillus flavus*  
developing cotton bolls, 602  
entry sites, 602  
nectaries, 602
- Aspergillus niger*  
citric acid fermentation  
aconitase inhibition, 1336  
effect of iron and copper, 1336
- Aspergillus oryzae*  
cyclopiazonic acid-defective strains,  
1087  
heterokaryosis, 1087  
risk of inducing toxin production, 1087
- ATP  
galactose transport, 772  
role of exogenous energy source, 772  
*S. thermophilus*, 772
- ATP concentration
- C. acetobutylicum*  
butanol, 1165
- Attached iron-oxidizing bacteria  
ferrous iron as energy source, 460  
growth kinetics, 460  
substrate utilization, 460
- Australia  
bacteriophages  
occurrence, 872  
properties, 872  
*L. oenos*, 872  
wines, 872
- Autoclaved peat  
diluted liquid cultures, 398  
inoculant production, 398  
plant effectiveness, 398  
*Rhizobium* spp., 398  
sterility requirements, 398  
storage, 398
- Autotrophic ammonium oxidation  
acid coniferous forest soil  
soil pH, 1519  
nitrous oxide emission, 1519
- Auxotrophic mutants  
functional complementation, 169  
genomic library, 169  
isolation of wild-type genes, 169  
*P. syringae* pv. *phaseolicola*, 169
- Azospirillum amazonense*  
carbohydrate catabolism, 183  
pathways  
Emden-Meyerhoff-Parnas, 183  
Entner-Doudoroff, 183  
hexose monophosphate, 183
- Azospirillum brasilense*  
*A. lipoferum*, 1021  
*B. macerans*, 1021  
cellulose decomposition, 1021  
*C. gelida*, 1021  
nitrogen fixation, 1021
- Azospirillum lipoferum*  
*A. brasilense*, 1021  
*B. macerans*, 1021  
cellulose decomposition, 1021  
*C. gelida*, 1021  
nitrogen fixation, 1021
- Bacillus cereus*  
acidic environments, 274  
inhibition of germinant binding, 274
- Bacillus larvae*  
broth medium, 690  
sporulation, 690  
ultrastructure, 690
- Bacillus licheniformis* JF-2  
anaerobic production, 698  
biosurfactants, 698
- Bacillus macerans*  
*A. brasilense*, 1021  
*A. lipoferum*, 1021  
cellulose decomposition, 1021  
*C. gelida*, 1021  
nitrogen fixation, 1021
- Bacillus spores*  
heat resistance, 1414  
killing temperature, 1414  
specific mineralization, 1414
- Bacillus subtilis*  
batch culture, 503  
cloned human leukocyte interferon, 503  
construction of vectors  
cloning, 540  
promoter screening, 540

- terminator screening, 540  
 continuous culture, 503  
 cross-linked carboxymethyl cellulose degradation, 634  
 optimal production, 503  
 proteinase  
   cloning, 94  
   expression, 94  
 restrained growth, 503  
*S. cremoris*, 94  
*S. lactis*, 94, 540  
 toxic shock syndrome, 634
- Bacillus thuringiensis**  
*E. coli*, 623  
 insecticidal k-23 type crystal protein gene  
   cloning, 623  
   expression, 623  
 spores and parasporal crystals  
   survival in soil, 1496
- Bacillus thuringiensis subsp. israelensis**  
 components, 56  
 composition, 56  
 control of mosquito larvae, 984  
 $\delta$ -endotoxin, 984  
 inclusion, 56  
 larvicidal activity of toxin  
   stability to amino acid modification, 1196  
   stability to chemical treatments, 1196  
 micro-lipid-droplet encapsidation, 984  
 toxicity, 56
- Bacillus thuringiensis subsp. kurstaki**  
 entomocidal protoxin, 737  
 protease activation, 737
- Bacteremia**  
 blue crab, 420  
*C. sapidus*, 420  
 effect of stress, 420  
 incidence, 420
- Bacteria, epiphytic**  
 aerosols from plant canopies  
   bacterial concentration, 1229  
   deposition, 1229  
   upward flux, 1229  
 dispersal  
   temporal variation, 1229  
   weather conditions, 1229
- Bacteria, heterotrophic**  
 taxonomic characterization method  
   culture media, 1213  
   incubation temperature, 1213  
   water distribution systems, 1213
- Bacterial biomass**  
 activity, 508  
 dissolved organic matter, 508  
 environmental variables, 508  
 metabolic state, 508  
 multiple assay comparisons, 508  
 stream sediments, 508
- Bacterial cells**  
 X-ray microanalysis  
   dry matter determination, 1251  
   elemental content determination, 1251  
   volume measurement, 1251
- Bacterial densities**  
 mineralization, 816  
 nonlinear estimation of parameters of  
   Monod kinetics, 816  
   substrate concentrations, 816
- Bacterial endotoxins**  
 removal from solution  
   charge-modified filters, 1375  
   efficiency of process, 1375
- Bacterial growth substrate**  
 fish viscera, autolyzed  
   comparison with standard substrate, 1556  
   preparation and testing, 1556  
   soluble peptides and amino acids, 1556
- Bacterial leaching**  
 cyanobacterium LPP OL3  
   leaching parameters, 1296  
   uranium removal from coal, 1296
- Bacterial oxidation**  
 codeine, 831  
*S. griseus*, 831  
 transformation products, 831
- Bacterial recovery**  
 lyophilized lactic acid bacteria  
   effect of rehydration medium, 1339
- Bacterial thiosalt oxidation ponds**  
 parameters for operation, 663  
 volume definition, 663
- Bacteriocin**  
 activity in *P. pentosaceus*, 1538  
 pediocin A, 1538  
 plasmid pMD136, 1538
- Bacteriophages**  
 attack, 851  
 Australian wines, 872  
 chlorine inactivation, 261  
 conjugal plasmid pTR2030, 851  
 drinking water, 261  
 $\phi$ 2 bacteriophage, 261  
 gh-1 bacteriophage  
   *P. putida* interaction, 1545  
   passage through sandstone, 1545  
*L. oenos*, 872  
 occurrence, 872  
 properties, 872  
*S. cremoris* M12R transconjugants, 851
- Bacterium-alga interactions**  
 diffusion method for study, 1357  
 Lutri plates, 1357  
 wastewater oxidation ponds, 1357
- Bacteroides succinogenes**  
 Bermuda grass, 825  
 degradation, 825  
 orchard grass, 825
- Bacteroides vulgatus**  
 enumeration, 958  
 human feces, 958  
 species-specific DNA hybridization probe, 958
- Baltic proper**  
 denitrification rates, 801  
 low-oxygen waters, 801  
 stratification, 801
- $\beta$ -Aminoglutaric acid**  
*A. luteoviolacea*, 543  
 marine bacteria, 543  
 occurrence, 543
- Barley**  
 ochratoxin A, 529  
 radioimmunoassay, 529
- Barophilic microbial activity**  
 Demerara abyssal plain, 1002  
 intercepted particulates, 1002  
 observations, 1002  
 sediment samples, 1002
- $\beta$ -Arylether bond**  
 cleavage by rumen anaerobes, 1451
- Basidiomycetes**  
 aspen wood blocks, 568  
 genetic recombination, 27  
 heterokaryons, 27  
*I. resinosa*, 568  
 lignocellulose, 27  
*P. chrysosporium*, 27  
*P. medulla-panis*, 568  
 selective delignification, 568  
 white rot, 568  
*X. frustulatus*, 568
- Bean plant nodulation**  
 rhizobia from ineffective alfalfa nodules  
   soil acidity, 1422
- Bean plants**  
 epiphytic bacteria  
   dispersal, 1229
- Beggiatoa alba**  
*E. coli*, 1007  
 high-pressure liquid chromatography, 1007  
 molecular mass of bacterial genomic DNA, 1007  
 plasmid copy number, 1007  
*S. coelicolor*, 1007
- Beggiatoa spp.**  
 mat formation, 373  
 oxygen responses, 373
- Benzenoids**  
 degradation, 304  
*W. succinogenes*  
   strain P-2, 304  
   strain PA-1, 304
- Benzidine-based azo dyes**  
 carcinogens, 10  
 Direct Black 38, 10  
 human intestinal microbiota, 10  
 metabolism, 10
- Benzoate**  
 anaerobic degradation pathways, 292  
 ferulate, 292  
 methane fermentation, 292
- Benzoate biotransformation**  
*E. coli* K-12  
   *Pseudomonas* TOL plasmid enzymes, 1409  
   xylD and xylDL genes, 1409
- Berea sandstone**  
*P. putida*  
   interaction with phage gh-1, 1545  
   passage, 1545
- Bermuda grass**  
 degradation, 825  
 orchard grass, 825  
 ruminal bacteria, 825
- Beta vulgaris L. (sugar beet)**  
 crown rot, 1123  
 population dynamics, 1123
- Bifidobacterium adolescentis**  
*E. coli*, 468  
 enumeration, 468  
 fecal indicators, 468  
 survival, 468  
 tropical rain forest watershed, 468
- Bile salts**  
 recovery of tolerance, 337  
 sensitivity, 337  
*S. flexneri* M4243, 337  
 sublethal heat stress, 337
- Biochanin A**  
*A. rabiei*, 45  
 chickpeas, 45  
 degradation, 45  
 glucoside conjugates, 45
- Biochemical activities**

- habitat segregation, 781  
marine bacteria, 781  
*Vibrionaceae*, 781
- Biodegradation**  
aqueous systems, 1077  
benzoate, 292  
[<sup>14</sup>C]cellulose, 971  
[<sup>14</sup>C]lignin, 971  
[<sup>14</sup>C]lignocellulose, 971  
2,4-dichlorophenol, 977  
failure of inoculation to enhance, 977  
ferulate, 292  
kinetics, 323  
methane fermentation, 292  
models, 323  
*N*-nitrosodimethylamine, 1077  
non-growth-supporting organic compounds, 323  
*p*-nitrophenol, 977  
*Pseudomonas* sp., 977  
soil systems, 1077
- Bioemulsifiers**  
characterization, 846  
liposan, 846  
*C. lipolytica*, 846  
purification, 846
- Biofilm-metal interactions**  
bioreactor system, 1155
- Biofilm surface**  
continuous culture, 946  
phenol degradation, 946  
*P. putida* ATCC 11172, 946  
ratio to culture volume, 946
- Biological isolation**  
microflora in controlled environments, 1349  
severe combined immune deficiency, 1349
- Biomass, deep ocean**  
effect of sewage outfalls, 1464
- Biopolymer gels**  
solvent properties of water, 108  
survival of bacteria and fungi, 108
- Bioreactor system**  
metal-biofilm interactions, 1155
- Biosurfactants**  
anaerobic production, 698  
*B. licheniformis* JF-2, 698
- Biotransformation of benzoate**  
*E. coli* K-12  
*Pseudomonas* TOL plasmid enzymes, 1409  
*xyID* and *xyIDL* genes
- Biphenyls**  
kinetics of metabolism, 1058  
polychlorinated biphenyls, 1058  
soil, 1058
- Blastogenesis, mitogen-induced**  
human lymphocytes  
inhibition by 8-ketotrichothecene, 1304  
inhibition by zearalenone, 1304
- Blue crab**  
*C. sapidus*, 420  
effect of stress, 420  
incidence of bacteremia, 420
- Bovine rumen**  
isolation with rifampin, 212  
pectinolytic spirochete, 212  
*T. saccharophilum* PB  
nutrition, 212  
physiology, 212  
ultrastructure, 212
- Brazil**  
Demerara abyssal plain, 1002  
intercepted particulates, 1002  
observations of barophilic microbial activity, 1002  
sediment samples, 1002
- Bread, Arabic**  
microorganism content  
gamma irradiation, 1531  
immunocompromised patients, 1531
- Brine shrimp assay**  
*F. tricinatum* NRRL 3299, 656  
physicochemical analysis, 656  
production of trichothecenes  
diacetoxyscirpenol, 656  
HT-2 toxin, 656  
neosolaniol, 656  
T-2 toxin, 656
- Broiler chickens**  
*F. roseum* 'Graminearum,' 102  
TDP-1 mycotoxin, 102  
tibial dyschondroplasia, 102  
trichothecenes, 102
- Butanediol**  
cellulose, 924  
hemicellulose, 924  
*K. pneumoniae*, 924  
production, 924  
sequential coculture, 924  
*T. harzianum*, 924
- Butanol**  
*C. acetobutylicum*  
ATP concentration, 1165  
glucose uptake, 1165  
internal pH, 1165  
*C. acetobutylicum* P262 mutants, 477  
production, 477  
Butanol resistance  
*C. acetobutylicum* mutants  
solvent production, 1238
- Butyrate-degrading bacteria**  
association with methanogens  
enrichment cultures, 1244  
pasteurization, 1244  
endospore formation, 1244
- Butyrvibrio fibrisolvens**  
Bermuda grass, 825  
cellulolytic bacteria, 356  
degradation, 825  
energy intake, 356  
microbial numbers, 356  
orchard grass, 825  
partitioning of component digestibility, 356  
*R. flavefaciens*, 356  
sheep hindguts, 356
- Ca<sup>2+</sup>**  
effect on plasmid transformation, 1100  
*S. lactis* protoplasts, 1100
- Cadmium**  
detoxification by *K. aerogenes*  
inorganic phosphate accumulation, 1262  
sulfide formation, 1262
- Callirectes sapidus**  
blue crab, 420  
effect of stress, 420  
incidence of bacteremia, 420
- Campylobacter jejuni**  
detection, 930  
efficacy of media and methods, 930  
enumeration, 930
- Giardia* spp., 177  
influence of CO<sub>2</sub>, 930  
isolation from foods  
enrichment broths, 1313  
raw milk, 535  
muskrats, 177  
occurrence, 177  
*O. zibethica*, 177  
refrigerated chicken meat, 930  
*Campylobacter jejuni*-*Campylobacter coli*  
broth enrichment medium, 125  
improvement of isolation, 125  
*Campylobacter* spp.  
isolation  
gauze swabs, 611  
membrane filters, 611  
surface water, 611
- Canada**  
*Salmonella* food poisoning outbreak  
*S. typhimurium* phage type 10, 1279
- Candida albicans**  
cross-linked carboxymethyl cellulose  
degradation, 634  
toxic shock syndrome, 634
- Candida colliculosa**  
fermentation of inoculated wines, 727  
growth, 727
- Candida lipolytica**  
bioemulsifier, 846  
characterization, 846  
liposan, 846  
purification, 846
- Candida pulcherrima**  
fermentation of inoculated wines, 727  
growth, 727
- Candida stellata**  
fermentation of inoculated wines, 727  
growth, 727
- Candida wickerhamii**  
anaerobiosis, 152  
β-1,4-glucosidase, 152  
regulation of enzyme expression, 152  
strain NRRL Y-2563, 152
- Carbohydrate catabolism**  
*A. amazonense*, 183  
pathways  
Emden-Meyerhof-Parnas, 183  
Entner-Doudoroff, 183  
hexose monophosphate, 183
- Carbon**  
acidic, xeric forest soils, 454  
*E. coli* K-12, 996  
heterotrophic microbial metabolism, 996  
induction of new activities, 454  
isotopic fractionation, 996  
mineralization, 454  
nutrient cycling, 454  
plant-microbe associations, 454
- Carbon dioxide**  
*C. jejuni*, 930  
efficacy of media and methods  
detection, 930  
enumeration, 930  
influence, 930  
refrigerated chicken meat, 930
- Carbon dioxide evolution**  
sewage sludge composting  
effect of temperature, 1526
- Carbon dioxide production**  
*L. lactis* TS4  
nitrite reduction, 1550
- Carbon filters**  
pathogen growth and persistence

- E. coli*, 1378  
effect of river water organisms, 1378  
*S. typhimurium*, 1378  
*Y. enterocolitica*, 1378
- Carbon metabolism  
lake sediments  
chemical changes, 1285  
fall turnover, 1285  
seasonal variation, 1285
- Carcinogens  
Direct Black 38, 10  
human intestinal microbiota, 10  
metabolism, 10
- Catabolism  
acidophilic, heterotrophic bacteria  
taxonomic status, 573  
glucose, 573
- Catalysis  
citric acid cycle  
aconitase, 1336
- Catechols  
production from benzoate  
biotransformation by *E. coli* K-12, 1409  
*xytD* and *xytDL* genes, 1409
- [<sup>14</sup>C]cellulose  
[<sup>14</sup>C]lignin, 971  
[<sup>14</sup>C]lignocellulose, 971  
thermophilic anaerobic biodegradation, 971
- Cecal bacteria from horses  
habitat-simulating recovery medium, 1439  
nitrogen utilization patterns, 1439  
taxonomic distribution, 1439
- Cedecea davisae*  
potatolike odor, 1048  
pyrazines, 1048  
strain 016, 1048
- Cell density  
heterogeneous bacterial mixture  
yield coefficients, 1132
- Cell envelope proteins  
*Desulfotomaculum* spp., 31  
*Desulfovibrio* spp., 31  
sulfate-reducing bacteria, 31
- Cellobiose limitation  
*R. flavefaciens* survival, 1361
- Cellulase  
*A. cellulolyticus*, 243  
adsorption, 243  
protein profile, 243  
specific activity, 243
- Cellulolytic activity  
*C. acetobutylicum* ATCC 824, 220  
*C. acetobutylicum* NRRL B257, 220
- Cellulolytic bacteria  
*B. fibrisolvens*, 356  
energy intake, 356  
microbial numbers, 356  
partitioning of component digestibility, 356  
*R. flavefaciens*, 356  
sheep hindguts, 356
- Cellulomonas gelida*  
*A. brasilense*, 1021  
*A. lipoferum*, 1021  
*B. macerans*, 1021  
cellulose decomposition, 1021  
nitrogen fixation, 1021
- Cellulomonas uda*  
cross-linked carboxymethyl cellulose degradation, 634  
toxic shock syndrome, 634
- Cellulose  
*A. brasilense*, 1021  
acidifying lakes, 315  
*A. lipoferum*, 1021  
bacterial counts, 315  
*B. macerans*, 1021  
butanediol production, 924  
central Ontario, 315  
*C. gelida*, 1021  
decomposition, 1021  
*K. pneumoniae*, 924  
microbial decomposition, 315  
nitrogen fixation, 1021  
sequential coculture, 924  
*T. harzianum*, 924
- Cellulose filters  
virus concentration  
ferric and aluminum hydroxide precipitation, 1502
- Cellulose hydrolysis  
*A. cellulolyticus*, 243  
adsorption of cellulase, 243  
protein profile of cellulase, 243  
specific activity of cellulase, 243
- Cellvibrio gilvus*  
cross-linked carboxymethyl cellulose degradation, 634  
toxic shock syndrome, 634
- Cell wall regeneration  
*C. perfringens*, 1097  
protoplast formation, 1097
- Charcoal agar  
fish disease bacterium, 868  
new growth medium, 868  
*R. salmoninarum*, 868
- Charge-modified filters  
endotoxin removal  
depth filters, 1375  
membrane filters, 1375
- Chartreusin production  
fermentation by *S. chartreusis*  
effect of copper, 1192  
effect of phosphate, 1192
- Cheddar cheese  
*Salmonella* food poisoning  
isolation of *S. typhimurium* phage type 10, 1279
- Chemical speciation  
bacterial populations, 337  
effects, 337  
mineralization of organic compounds, 337  
naturally occurring microbial communities, 337
- Chemical transformations  
eremofortin C, 729  
*P. roqueforti*, 729  
PR toxin, 729
- Chicken  
*C. jejuni*, 930  
efficacy of media and methods  
detection, 930  
enumeration, 930  
influence of CO<sub>2</sub>, 930  
refrigerated meat, 930
- Chickens  
effect of antimicrobial agents  
ampicillin, 638  
chloramphenicol, 638  
kanamycin, 638  
streptomycin, 638  
tetracycline, 638  
gram-negative enteric bacilli, 638
- Chickpeas  
*A. rabiei*, 45  
leaf spot disease, 45
- China  
soybean rhizobia  
rice field soil, 1171  
soybean field soil, 1171
- Chloramphenicol  
chickens, 638  
effect on gram-negative enteric bacilli, 638
- Chlorate  
viricidal effectiveness, 1162
- Chlorine  
animal infectivity, 1115  
changes in virulence, 412  
drinking water, 261  
excystation, 1115  
*G. muris*, 1115  
inactivation  
f2 bacteriophage, 261  
human rotavirus, 261  
Norwalk virus, 261  
poliovirus type 1, 261  
simian rotavirus, 261  
injury, 412  
measurement of cyst inactivation, 1115  
waterborne enteropathogens, 412
- Chlorine dioxide  
viricidal effectiveness, 1162
- Chlorine resistance  
enhancement, 21  
*Flavobacterium* sp., 21  
*L. pneumophila*, 21
- Chlorite  
viricidal effectiveness, 1162
- Chromosomal mobilization  
*E. amylovora*, 1  
*E. carotovora*, 1  
*E. chrysanthemi*, 1  
plasmid pULB113, 1
- Chromosomes  
*nif* genes, 41  
nitrogen fixation, 41  
*R. fredii*, 41  
soybean nodulation, 41
- cis-Dihydrodiols  
production from benzoate  
biotransformation by *E. coli* K-12, 1409  
*xytD* and *xytDL* genes, 1409
- Citric acid  
fermentation by *A. niger*  
aconitase inhibition, 1336  
effect of iron and copper, 1336
- Citrobacter freundii*  
*E. coli*, 989  
Israeli mirror carp, 989  
*S. faecalis*, 989  
*S. montevideo*, 989  
*Tilapia aurea* (*Saratherodon aureus*), 989  
wastewater, 989
- Clavospora* sp.  
aerobic fermentation, 763  
D-xylose, 763  
ethanol, 763
- [<sup>14</sup>C]lignin  
[<sup>14</sup>C]cellulose, 971  
[<sup>14</sup>C]lignocellulose, 971  
thermophilic anaerobic biodegradation, 971



- [<sup>14</sup>C]lignocellulose  
 [<sup>14</sup>C]lignin, 971  
 thermophilic anaerobic biodegradation, 971
- Cloning  
*S. cerevisiae* MG resistance gene, 1200
- Clostridium acetobutylicum*  
 butanol-resistant mutants  
 growth kinetics, 1238  
 isolation, 1238  
 solvent production, 1238  
 sporulation, 1238  
 cellulolytic activity, 220  
 effect of butanol  
 ATP concentration, 1165  
 glucose uptake, 1165  
 internal pH, 1165  
 endoglucanase activity, 1068  
 growth  
 acetogenic conditions, 1043  
 solventogenic conditions, 1043  
 immobilization, 477  
 membrane potential, 1043  
 P262 mutants, 477  
 proton motive force, 1043  
 solvent production  
 acetone, 477  
 butanol, 477  
 ethanol, 477  
 strain ATCC 824, 220  
 strain NRRL B257, 220  
 transmembrane pH gradient, 1043  
 xylanolytic activity, 1068
- Clostridium botulinum*  
 acidic environments, 274  
 detection, 1110  
 inhibition  
 protease activity, 16  
 toxicity, 16  
 inhibition of germinant binding, 274  
 monoclonal antibody-based immunoassay, 63  
 mouse bioassay, 63  
 salt, 795  
 selective and differential medium, 1110  
 sodium acid pyrophosphate, 16  
 spore germination kinetics, 795  
 strain Ba410, 795  
 strain B-aphis, 795  
 type A neurotoxin, 63  
 types A, B, and F, 1110
- Clostridium difficile*  
 axenic mouse intestines  
 effect on *C. perenne*, 1258
- Clostridium perenne*  
 establishment in mouse intestines  
 effect of *C. difficile*, 1258  
 effect of copper-dipeptide complex, 1258
- Clostridium perfringens*  
 alcohol activation, 249  
 anaerobic chemostat, 202  
 cell wall regeneration, 1097  
 heat activation, 249  
 injury by alcohol, 249  
 minimal medium, 202  
 nutritional requirements, 202  
 protoplast formation, 1097  
 spores, 249  
 strain NCTC 8679, 249
- C-3-modified analogs  
 12,13-epoxytrichothecenes  
 T-2, 914
- T-2 tetraol, 914  
 protein synthesis, 914  
 treatment of mammalian cells, 914
- Coal  
 removal of uranium  
 bacterial leaching, 1296  
 cyanobacterium LPP OL3, 1296
- Coastal lagoon  
 incidence  
*V. cholerae*, 426  
 vibrios, 426  
 influence of lake discharges, 426  
 seawater, 426
- Coastal marine sediments  
 enrichment cultures, 491  
 manganese reduction, 491
- Codeine  
 bacterial oxidation, 831  
 identification of transformation products, 831  
*S. griseus*, 831
- Coliforms  
 drinking water samples, 755  
 enumeration, 755  
 holding effects, 755  
 potentiometric measurement  
 lipoic acid reduction, 1208
- Component digestibility  
*B. fibrisolvens*, 356  
 cellulolytic bacteria, 356  
 energy intake, 356  
 microbial numbers, 356  
 partitioning, 356  
*R. flavefaciens*, 356  
 sheep hindguts, 356
- Composting  
 microbial activity-biomass correlation  
 effect of temperature, 1395  
 physical and chemical parameters, 1395  
 sewage sludge  
 carbon dioxide evolution rate, 1526  
 effect of temperature, 1526
- Composts  
 bacterial species diversity, 899  
 effect of temperature, 899  
 identification of thermophilic bacteria, 906  
*Salmonella* spp.  
 growth, 887  
 occurrence, 887  
 suppression, 887  
 sewage sludge, 887  
 solid waste, 899, 906
- Concentration of waterborne viruses  
 modified cellulose filters, 1502  
 water pH, 1502
- Coniferous forest soil  
 autotrophic ammonium oxidation, 1519  
 nitrogen oxide emission, 1519  
 soil pH, 1519
- Contamination  
*C. jejuni*  
 isolation from foods, 1313  
 commercial sterile solutions, 1343  
 filter purification system, 1343  
*P. pickettii*  
 growth and retention, 1343  
 heat tolerance, 1343
- Copper  
 axenic mice  
*C. perenne* inhibition, 1258  
 fermentation by *S. chartreusis*  
 effect on chartreusin production, 1192  
 effect on hydroheptin production, 1192
- Y. enterocolitica*  
 injury, 406  
 reduced virulence, 406
- Coriolus versicolor*  
 lignin degradation  
 aromatic ring cleavage, 1505  
 arylglycerol- $\beta$ -aryl ether substructure, 1505  
 arylglycerol- $\gamma$ -formyl ester production, 1505
- Coryphaena hippurus*  
 isolation of spoilage bacteria, 546  
 low-temperature production of urocanic acid, 546
- Cosmid clone libraries  
 complementation of auxotrophic mutants, 169  
 cosmid vector pVK102, 169  
 isolation of wild-type genes, 169  
*P. syringae* pv. *phaseolicola*, 169
- Cotton bolls  
*A. flavus*, 602  
 entry sites, 602  
 nectaries, 602
- Crassostrea virginica* (oysters)  
 shellfish-associated human illness, 1548  
*V. vulnificus* uptake and clearance  
 temporal variation, 1548
- Cryptic plasmids  
*Thermus* spp. from Yellowstone National Park, 1325
- Cryptococcus neoformans*  
*C. albicans*, 548  
 comparison of media  
 Staib's *G. abyssinica*, 548  
 trypan blue, 548  
 isolation, 548
- Crystal protein genes  
*B. thuringiensis*, 623  
*E. coli*, 623  
 insecticidal k-23 type  
 cloning, 623  
 expression, 623
- Culture conditions  
*P. chrysosporium*  
 ligninase production, 1274
- Culture volume  
 continuous culture, 946  
 phenol degradation, 1, 946  
*P. putida* ATCC 11172, 946  
 ratio to biofilm surface, 946
- Cunninghamella elegans*  
 detoxification of hydrocarbon  
 1-nitropyrene, 649  
 fungal metabolism, 649  
 identification of metabolites, 265  
 metabolism of *tert*-butylphenyl diphenyl phosphate, 265  
*S. typhimurium*, 649
- Cyanobacteria  
 bacterial leaching  
 cyanobacterium LPP OL3, 1296  
 leaching parameters, 1296  
 uranium removal from coal, 1296  
*C. raciborskii*  
 hepatotoxicity, 1292  
 isolation from water supply reservoir, 1292  
 relationship to human hepatocenteritis, 1292

- Cyclopiazonic acid-defective strains  
*A. oryzae*, 1087  
 heterokaryosis, 1087  
 risk of inducing toxin production, 1087
- Cylindrospermopsis raciborskii*  
 hepatotoxicity, 1292  
 isolation from water supply reservoir, 1292  
 relationship to human hepatoenteritis, 1292
- Cystic fibrosis  
 characterization, 562  
*P. aeruginosa* mucoid strain, 562  
 polymannuronic acid depolymerase, 562  
 purification, 562
- Cysts  
 animal infectivity, 1115  
 excystation, 1115  
*G. muris*, 1115  
 measurement of inactivation by chlorine, 1115
- Debariomyces hansenii*  
 biopolymer gels, 108  
 survival, 108  
 water activity, 108
- Deep ocean microbial biomass  
 effect of sewage outfalls, 1464
- Deep ocean sewage outfalls  
 effect on seawater and sediment microbiota, 1464  
 microbiology of surrounding sediment, 1464
- Deepoxytrichothecene metabolites  
 3'-hydroxy HT-2 toxin, 676  
 rats, 676  
 structures, 676  
 T-2 tetraol, 676
- Degradation  
 anthracene, 81  
 benzenoids, 304  
 continuous culture, 946  
 different ratios of biofilm surface to culture volume, 946  
 intertidal marine sediments, 81  
 legume root hair cell wall, 717  
 microbes, 965  
 mineralization, 81  
 naphthalene, 81  
 natural rubber vulcanizates, 965  
*Nocardia* sp. strain 385A, 965  
 phenol, 946  
*P. putida* ATCC 11172, 946  
 production of isoprene oligomers, 965  
*Rhizobium* sp., 717  
 site of infection thread origin, 717  
 T-2 mycotoxin in aqueous media, 1311  
*W. succinogenes*  
 strain P-2, 304  
 strain PA-1, 304
- Degradation, anaerobic  
 rumen microorganisms  
 guaiaacoxycetic acid, 1451  
 veratrylglycerol- $\beta$ -guaiaacyl ether, 1451
- Degradation of lignin  
*C. versicolor*  
 aromatic ring cleavage, 1505  
 arylglycerol- $\beta$ -aryl ether substructure, 1505  
 arylglycerol- $\gamma$ -formyl ester production, 1505  
*P. chrysosporium*  
 agitated submerged cultures, 1274
- Degradation of PCP  
*Flavobacterium* strains, 1512
- Dehalogenation  
 ethylene dibromide transformation, 527  
 methanogenic conditions, 527  
 reductive, 527
- Delignification  
 aspen wood, 133  
 aspen wood blocks, 568  
 in vitro, 568  
*M. tremellosus*, 133  
 solid-state fermentation, 133  
 white rot basidiomycetes  
*I. resinorum*, 568  
*P. medulla-panis*, 568  
*X. frustulatus*, 568
- Demerara abyssal plain  
 intercepted particulates, 1002  
 observations of barophilic microbial activity, 1002  
 sediment samples, 1002
- Denaturants  
*B. thuringiensis* subsp. *israelensis* toxin  
 effect on larvicidal activity, 1196
- Denitrification  
 low-oxygen waters, 801  
*P. stutzeri* mutants  
 growth in nitrous oxide, 1301  
 rates, 801  
 stratified Baltic proper, 801
- Deoxynivalenol  
 baking, 482  
 cleaning, 482  
*F. graminearum*, 482  
 milling, 482  
 wheat, 482
- Depolymerases  
 characterization, 562  
 cystic fibrosis, 562  
*P. aeruginosa*, 562  
 polymannuronic acid, 562  
 purification, 562
- Desulfotomaculum* spp.  
 cell envelope proteins, 31  
*Desulfovibrio* spp., 31  
 outer membrane proteins, 31
- Desulfovibrio* spp.  
 cell envelope proteins, 31  
*Desulfotomaculum* spp., 31  
 outer membrane proteins, 31
- Desulfovibrio vulgaris*  
 acetate, 589  
 coculture metabolism, 589  
 methanol, 589  
 sulfate-dependent interspecies  $H_2$  transfer, 589
- Detergents  
*B. thuringiensis* subsp. *israelensis* toxin  
 effect on larvicidal activity, 1196
- Detoxification  
*K. aerogenes* in continuous culture  
 cadmium, 1262  
 lead, 1262  
 mercury, 1262
- 2,4-Dichlorophenol  
 failure of inoculation to enhance biodegradation, 977  
*p*-nitrophenol, 977  
*Pseudomonas* sp., 977
- Diet  
 association with *Simonsiella* spp., 704  
 components, 704  
 normal human mouths, 704
- Diffusion in agar  
 Lutri plates, 1357  
 method to study alga-bacterium interactions, 1357
- Digesters, thermophilic  
 bacterial lipid analysis  
 microbial parameter characterization, 1428
- Dipeptide  
 axenic mice  
*C. perenne* inhibition, 1258
- 1,6-Diphenyl-1,3,5-hexatriene  
 ethanol-induced growth inhibition, 685  
 recovery of *S. cerevisiae*, 685
- Direct Black 38  
 human intestinal microbiota, 10  
 metabolism, 10
- Disinfecting capabilities  
 chlorate, 1162  
 chlorine dioxide, 1162  
 chlorite, 1162
- Dispersal, aerial  
 epiphytic bacteria  
 temporal variation, 1229  
 weather conditions, 1229
- Dissolved organic matter  
 activity, 508  
 bacterial biomass, 508  
 environmental variables, 508  
 metabolic state, 508  
 multiple assay comparisons, 508  
 stream sediments, 508
- DNA  
 plasmid  
 isolation, 1103  
 partial characterization, 1103  
*S. thermophilus*, 1103
- DNA colony hybridization  
 enterotoxigenic *E. coli*  
 detection and enumeration, 1187  
 oligodeoxyribonucleotide probes, 1187
- DNA hybridization probes  
*B. vulgatus* enumeration  
 human feces, 958  
 species specific, 958
- DNA uptake  
*S. aureus*  
 enhancement by fibronectin, 1315
- Drinking water  
 chlorine inactivation, 261  
 coliform enumeration, 755  
 dysgonic, heterotrophic bacteria  
 taxonomic characterization method, 1213
- $\phi$ 2 bacteriophage, 261
- hepatitis A virus  
 concentration methods, 1457  
 filtration, 1457  
 transmission, 1457  
 holding effects, 755  
 human rotavirus, 261  
 Norwalk virus, 261  
 poliovirus type 1, 261  
 samples, 755  
 simian rotavirus, 261
- Drinking water plumbing systems  
*L. pneumophila* growth  
 chemical environment, 1149  
 metals, 1149
- Droplet enrichment factors  
 prodigiosin, 482

- S. marcescens*  
nonpigmented, 482  
pigmented, 482
- D-Xylose  
aerobic fermentation, 763  
*Clavispora* sp., 763  
ethanol, 763  
fermentation to ethanol by yeasts  
optimal conditions, 1486
- Dysgonic, heterotrophic bacteria  
taxonomic characterization method  
culture media, 1213  
incubation temperature, 1213  
water distribution systems, 1213
- Electrochemical classification  
gram-negative bacteria, 229  
gram-positive bacteria, 229  
intestinal bacteria, 229
- Elms  
isolation of anaerobic cellulolytic  
bacteria, 807  
maples, 807  
wetwood, 807
- Emden-Meyerhof-Parnas pathway  
*A. amazonense*, 183  
carbohydrate catabolism, 183
- Endoglucanase  
*T. reesei* Rut-C30  
microsomal fraction, 1137
- Endoglucanase  
activity, 1068  
*C. acetobutylicum*, 1068  
xylanolytic activity, 1068
- Endospore formation  
butyrate-degrading bacteria, 1244
- Endotoxins  
*B. thuringiensis* subsp. *israelensis*, 984  
control of mosquito larvae, 984  
conversion factors, 91  
 $\delta$ -endotoxin, 984  
*E. coli*, 91  
HIMA collaborative study, 91  
micro-lipid-droplet encapsidation, 984  
potency, 91
- Energy sources  
attached iron-oxidizing bacteria, 460  
ferrous iron, 460  
growth kinetics, 460  
substrate utilization, 460
- Enrichment broths  
*C. jejuni* isolation from foods, 1313
- Enrichment culture  
butyrate-degrading bacteria  
growth patterns, 1244
- Enrichment cultures  
coastal marine sediments, 491  
manganese reduction, 491
- Enteric bacteria  
resistance to multiple antibiotics, 930  
seasonal variation, 930  
sewage and oxidation lagoons, 930  
transfer, 930
- Enteric viruses  
detection and enumeration  
immunoperoxidase method, 1308
- Enterobacter aerogenes*  
*K. pneumoniae*, 383  
microbially enhanced oil recovery, 383  
microbial penetration, 383  
nutrient-saturated Berea sandstone, 383
- Enteropathogens  
changes in virulence, 412
- chlorine injury, 412  
waterborne, 412
- Enterotoxigenic *Escherichia coli*  
detection and enumeration  
DNA colony hybridization, 1187  
oligodeoxyribonucleotide probes,  
1187
- Enterotoxins  
processing, 696  
*S. aureus*, 696  
staphylococcal enterotoxin A, 696  
transport, 696
- Enteroviruses  
sludge, 280  
wastewater treatment plants  
effect of season on isolation rates, 280  
frequency of isolation, 280  
frequency of occurrence, 280  
identification, 280
- Entner-Doudoroff pathway  
*A. amazonense*, 183  
carbohydrate catabolism, 183
- Enzymes  
anaerobiosis, 152  
ATP dependent, 777  
*C. wickerhamii*, 152  
degradation of lignocellulose medium,  
859  
*E. chrysanthemi* EC16, 894  
*E. coli*, 894  
export  
cellulolytic enzymes, 894  
pectolytic enzymes, 894  
expression of  $\beta$ -1,4-glucosidase, 152  
extracellular, 859  
galactokinase transport, 777  
*L. edodes*, 859  
production by cultivated mushroom, 859  
single-site chromosomal Tn5 insertions,  
894  
*S. thermophilus*, 777
- Epiphytic bacteria  
aerosols from plant canopies  
dispersal, 1229
- 12,13-Epoxytrichothecenes  
mammalian cells, 914  
protein synthesis, 914  
T-2, 914  
treatment with C-3-modified analogs,  
914  
T-2 tetraol, 914
- Equine cecal bacteria  
habitat-simulating recovery medium,  
1439  
nitrogen utilization patterns, 1439  
taxonomic distribution, 1439
- Equine encephalomyelitis virus  
liquid-phase study, 882  
ozone inactivation, 882  
Venezuela, 882
- Eremofortin C  
chemical transformation, 729  
*P. roqueforti*, 729  
PR toxin, 729
- Ergoline alkaloids  
genetics of formation, 558  
parasexual recombination, 558  
*P. roqueforti*, 558
- Erwinia amylovora*  
chromosomal mobilization, 1  
plasmid pULB113, 1  
R-prime formation, 1
- Erwinia carotovora*  
chromosomal mobilization, 1  
plasmid pULB113, 1  
R-prime formation, 1
- Erwinia chrysanthemi*  
chromosomal mobilization, 1  
plasmid pULB113, 1  
R-prime formation, 1
- Erwinia chrysanthemi* EC16  
*E. coli*, 894  
export  
cellulolytic enzymes, 894  
pectolytic enzymes, 894  
single-site chromosomal Tn5 insertions,  
894
- Escherichia coli*  
African yellow baboons, 749  
antibiotic resistance, 749  
*B. adolescentis*, 468  
*B. alba*, 1007  
benzoate biotransformation  
*Pseudomonas* TOL plasmid enzymes,  
1409  
biochemical analysis, 364  
*B. thuringiensis*, 623  
*C. freundii*, 989  
conversion factors, 91  
culture conditions, 364  
*E. chrysanthemi* EC16, 894  
electrochemical classification, 238  
endotoxins, 91  
enumeration, 468  
export  
cellulolytic enzymes, 894  
pectolytic enzymes, 894  
fecal indicators, 468  
fluorogenic assay  
detection in food, 1383  
LST-MUG medium, 1383  
formation of filaments, 364  
growth on granular activated carbon  
effect of river water organisms, 1378  
heat treatment, 292  
high-pressure liquid chromatography,  
1007  
HIMA collaborative study, 91  
hydrophobicity of cell surface, 292  
insecticidal k-23 type crystal protein  
gene  
cloning, 623  
expression, 623  
Israeli mirror carp, 989  
*K. pneumoniae*, 441  
mercury resistance, transfer, 38  
molecular mass of bacterial genomic  
DNA, 1007  
National Reference Standard  
Endotoxin, 91  
nutritional factors, 364  
osmotic tolerance, 441  
*P. aeruginosa*, 364  
permeability to crystal violet, 292  
*P. fluorescens*, 364  
plasmid copy number, 1007  
population structure, 749  
*P. putida*, 364  
proline overproduction, 441  
pseudomonads, 38  
recombinant plasmid, 441  
release of alkaline phosphatase, 292  
release of lipopolysaccharide, 292  
*S. cerevisiae* MG resistance gene ex-  
pression  
resistance to toxic compounds, 1200

- S. coelicolor*, 1007  
 sensitivity to phospholipase C, 292  
*S. faecalis*, 989  
 single-site chromosomal Tn5 insertions, 894  
*S. montevideo*, 989  
 strain AB1157  
   adherence to roots, 392  
   binding assay, 392  
   colonization of roots, 392  
*Flavobacterium* sp. strain MtCa-7, 392  
*P. fluorescens* E6-22, 392  
*Pseudomonas* sp. strain WD-13, 392  
*S. marcescens* QMB 1466, 392  
 strain B, 1007  
 strain HB101, 1007  
 strain K-12  
   carbon isotopic fractionation, 996  
   electrochemical classification, 238  
   heterotrophic microbial metabolism, 996  
 strain W3110, 292  
*S. typhimurium*, 441  
 survival, 468  
*Tilapia aurea* (*Saratherodon aureus*), 989  
 tropical rain forest watersheds, 468  
 vibrios, 38  
 wastewater, 989  
 X-ray microanalysis of individual cells  
   dry matter determination, 1251  
   elemental content determination, 1251  
   volume measurement, 1251  
*Escherichia coli*, enterotoxigenic  
 detection and enumeration  
   DNA colony hybridization, 1187  
   oligodeoxyribonucleotide probes, 1187  
 Esterase inhibitors  
   metabolism of T-2 toxin, 115  
   S-9 fraction, 115  
 Estuarine sediments  
*Vibrio* spp. and *A. hydrophila*  
   temporal variation, 1490  
   variation with sediment depth, 1490  
 Ethanol  
   aerobic fermentation, 763  
   *C. acetobutylicum* P262 mutants, 477  
   *Clavispora* sp., 763  
   1,6-diphenyl-1,3,5-hexatriene, 685  
   D-xylose, 763  
   production growth inhibition, 685  
   production from D-xylose by yeasts  
     optimal conditions, 1486  
   recovery of *S. cerevisiae*, 685  
 Ethanol production  
   *S. bayanus* fermentation  
     soy flour supplementation, 1333  
 Ethylene dibromide  
   methanogenic conditions, 527  
   reductive dehalogenation, 527  
   transformation, 527  
*Euglena gracilis* Z  
   tocopherol production  
     low-temperature acclimation, 1404  
     oxygen stress, 1404  
 Eutrophic lake  
   2,4,5-trichloroaniline degradation  
     microbial processes, 1177  
     photochemical processes, 1177  
 Excystation  
   animal infectivity, 1115  
*G. muris*, 1115  
 measurement of cyst inactivation by  
   chlorine, 1115  
 Extracellular amylases  
*F. capsuligenum*  
   purification and characterization, 1474  
 Fall turnover  
   lake sediments  
     terminal carbon metabolism, 1285  
 Faucets  
   aerosol production  
     *L. pneumophila* transmission, 1128  
 Fecal coliforms  
   potentiometric measurement  
     lipoic acid reduction, 1208  
 Fecal indicators  
   *B. adolescentis*, 468  
   *E. coli*, 468  
   enumeration, 468  
   survival, 468  
   tropical rain forest watersheds, 468  
 Feces  
   *B. vulgatus*  
     enumeration, 958  
     human, 958  
   species-specific DNA hybridization  
     probe, 958  
 Fermentation  
   aerobic conditions, 763  
   anaerobic degradation pathways, 292  
   bacteriocin-producing organisms, 1538  
   beer-spoilage bacteria  
     yeast antimicrobial activity, 1330  
   benzoate, 292  
   citric acid  
     *A. niger*, 1336  
   *Clavispora* sp., 763  
   D-xylose, 763  
   ethanol, 763  
   ethanol production from D-xylose  
     optimal conditions, 1486  
   ferulate, 292  
   methane, 292  
   *S. bayanus* growth and concentration  
     enhancement by soy flour supplementa-  
       tion, 1333  
   *S. chartreusis*  
     chartreusin production, 1192  
     hydroheptin production, 1192  
   *X. campestris*  
     high-viscosity whey broth production,  
       1483  
     lactose utilization, 1483  
   yeasts, 1486  
 Ferric hydroxide precipitation  
   cellulose filters  
     virus concentration, 1502  
 Ferulate  
   anaerobic degradation pathways, 292  
   benzoate, 292  
   facultatively anaerobic bacterium, 1052  
   methane fermentation, 292  
   sewage sludge, 1052  
   transformation  
     fermentative, 1052  
     oxidative, 1052  
 Fibronectin  
   serum factor  
     *S. aureus* transfection enhancement,  
       1315  
 Filaments  
   biochemical analysis, 364  
 culture conditions, 364  
*E. coli*, 364  
 formation, 364  
 nutritional factors, 364  
*P. aeruginosa*, 364  
*P. fluorescens*, 364  
*P. putida*, 364  
*Filobasidium capsuligenum*  
   amylolytic system, 1474  
   extracellular amylolytic enzymes, 1474  
   starch hydrolysis, 1474  
 Filters  
   granular activated carbon  
     pathogen growth, 1378  
   virus detection in aerosols, 1181  
 Filters, charge-modified  
   endotoxin removal  
     depth filters, 1375  
     membrane filters, 1375  
 Filtration  
   drinking water  
     hepatitis A virus concentration, 1457  
 Fimbrial hemagglutinin  
*P. solanacearum*, 605  
 purification by sodium dodecyl sulfate-  
 polyacrylamide gel electrophoresis,  
 605  
 reassembly, 605  
 Fish  
   grazing of zooplankton, 187  
   Israeli mirror carp, 989  
   predation of freshwater bacteria, 187  
   reactions to microorganisms  
     *C. freundii*, 989  
     *E. coli* B, 989  
     *S. faecalis*, 989  
     *S. montevideo*, 989  
*Tilapia aurea* (*Saratherodon aureus*),  
 989  
 wastewater, 989  
 Fish viscera, autolyzed  
   soluble peptides and amino acids  
     bacterial growth substrate, 1556  
*Flavobacterium* sp.  
   enhanced chlorine resistance, 21  
   *L. pneumophila*, 21  
   multiphase kinetics, 553  
   transformation of methyl parathion, 553  
*Flavobacterium* sp. strain MtCa-7  
   adherence to roots, 392  
   binding assay, 392  
   colonization of roots, 392  
   *E. coli* AB1157, 392  
   *Flavobacterium* sp. strain MtCa-7, 392  
   *P. fluorescens* E6-22, 392  
   *Pseudomonas* sp. strain WD-13, 392  
   *S. marcescens* QMB 1466, 392  
*Flavobacterium* strains  
   degradation of PCP, 1512  
   isolation from Minnesota soils  
     selective enrichment, 1512  
   taxonomic characterization  
     DNA/DNA hybridization, 1512  
     metabolism, 1512  
     plasmid analysis, 1512  
 Flocculation, organic  
   drinking water  
     hepatitis A virus concentration, 1457  
 Flora  
   *C. colliculosa*, 727  
   *C. pulcherrima*, 727  
   *C. stellata*, 727  
   fermentation of inoculated wines, 727

- growth  
  natural yeasts, 727  
  *H. anomala*, 727  
  *K. apiculata*, 727  
  *S. cerevisiae*, 727
- Fluorogenic assay  
  *E. coli*  
    detection in food, 1383  
    LST-MUG medium, 1383
- Food contamination  
  *E. coli*  
    fluorogenic assay, 1383  
    LST-MUG medium, 1383
- Food poisoning  
  *C. jejuni* isolation  
    enrichment broths, 1313  
  isolation of histamine-producing  
    *L. buchneri*, 1094  
  outbreak, 1094  
  *S. typhimurium* phage type 10  
    identification as etiologic agent, 1279  
  isolation from cheddar cheese, 1279  
  Swiss cheese, 1094  
  *V. vulnificus* contamination of oysters  
    depuration and chilling, 1548
- Foods  
  France, 763  
  isolation  
    *Y. enterocolitica*, 763  
    *Y. frederiksenii*, 763  
    *Y. intermedia*, 763  
    *Y. kristensenii*, 763
- Fractionation, subcellular  
  *T. reesei* Rut-C30  
    cytosol, 1137  
    heavy vesicles, 1137  
    microsomes, 1137
- Freshwater bacteria  
  fish predation, 187  
  zooplankton grazing, 187
- Freshwater lake  
  2,4,5-trichloroaniline degradation  
    microbial processes, 1177  
    photochemical processes, 1177
- Freshwater sediments  
  terminal carbon metabolism  
    fall turnover, 1285
- Fungi  
  *C. elegans*, 265, 649  
  detoxification of hydrogen  
    1-nitropyrene, 649  
  *G. fasciculatum*, 701  
  *G. mosseae*, 701  
  inoculation, 701  
  metabolism, 265, 649  
  response of *S. grandiflora*, 701  
  *S. typhimurium*, 649  
  *tert*-butylphenyl diphenyl phosphate,  
    265
- Fungicides  
  rhizobium recovery, 1553
- Fusaric acid  
  analogs, 311  
  characterization, 311  
  *F. moniliforme* NRRL 13,163, 311  
  isolation, 311
- Fusarium equiseti*  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  toxigenic potential, 550
- Fusarium graminearum*  
  baking, 482  
  cleaning, 482
- deoxynivalenol, 482  
  milling, 482  
  wheat, 482
- Fusarium moniliforme*  
  characterization, 311  
  fusaric acid analogs, 311  
  isolation, 311  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  strain NRRL 13,163, 311  
  toxigenic potential, 550
- Fusarium proliferatum*  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  toxigenic potential, 550
- Fusarium roseum* 'Graminearum'  
  broiler chickens, 102  
  TDP-1 mycotoxin, 102  
  tibial dyschondroplasia, 102  
  trichothecenes, 102
- Fusarium semitectum*  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  toxigenic potential, 550
- Fusarium solani*  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  toxigenic potential, 550
- Fusarium subglutinans*  
  production of trichothecenes, 550  
  Southeast Asia, 550  
  toxigenic potential, 550
- Fusarium tricinctum*  
  brine shrimp assay, 656  
  NRRL 3299, 656  
  physicochemical analysis, 656  
  production of trichothecenes  
    diacetoxyscirpenol, 656  
    HT-2 toxin, 656  
    neosolaniol, 656  
    T-2 toxin, 656
- Galactokinase  
  activity, 777  
  ATP-dependent enzyme, 777  
  *S. thermophilus*, 777
- Galactose  
  ATP, 772  
  role of exogenous energy source, 772  
  *S. thermophilus*, 772  
  transport, 772
- Gamma irradiation  
  Arabic bread  
    immunocompromised patients, 1531
- Gas metabolism  
  hydrogen-producing bacteria, 595  
  lake sediments, 595  
  methanogenic bacteria, 595  
  sewage sludge, 595
- Gauze swabs  
  isolation of *Campylobacter* spp., 611  
  membrane filters, 611  
  surface water, 611
- GELRITE  
  agar substitute, 1107  
  cultivation  
    *M. arboriphilus*, 1107  
    *M. bryantii*, 1107  
    *Methanobacterium* sp., 1107  
    *M. formicicum*, 1107  
    *M. ruminantium*, 1107  
    *M. smithii*, 1107
- Genetic recombination  
  heterokaryons, 27  
  lignocellulose, 27  
  *P. chrysosporium*, 27  
  protoplasts, 693  
  *T. fusca*, 693  
  transformation, 693
- Germination  
  acidic environments, 274  
  bacterial spores, 274  
  *B. cereus*, 274  
  *C. botulinum*, 274  
    strain Ba410, 795  
    strain B-aphis, 795  
  inhibition, 274  
  salt, 795  
  spores, 795
- Giardia* cysts  
  detection and identification in water  
    immunofluorescence, 1434  
    phase-contrast microscopy, 1434  
  waterborne disease, 1434
- Giardia muris*  
  animal infectivity, 1115  
  excystation, 1115  
  measurement of cyst inactivation by  
    chlorine, 1115
- Giardia* species  
  *C. jejuni*, 177  
  muskrats, 177  
  occurrence, 177  
  *O. zibethica*, 177
- Glomus fasciculatum*  
  *G. mosseae*, 701  
  response of *S. grandiflora*, 701  
  soil inoculation with  
    vesicular-arbuscular mycorrhizal  
    fungi, 701
- Glomus mosseae*  
  *G. fasciculatum*, 701  
  response of *S. grandiflora*, 701  
  soil inoculation with  
    vesicular-arbuscular mycorrhizal  
    fungi, 701
- Glucose  
  acidophilic, heterotrophic bacteria  
    taxonomic status, 573  
  catabolism, 573  
  metabolism by bacterial mixture  
    yield coefficients, 1132
- Glucose uptake  
  *C. acetobutylicum*  
    arsenate, 1165  
    butanol, 1165
- Glutamine synthetase  
  activity, 1014  
  *S. dextrinosolvens*, 1014  
  *S. ruminantium*, 1014
- Glycerol  
  conversion to  
    3-hydroxypropionaldehyde  
  *K. pneumoniae* aerobic growth, 1444  
  optimal temperature and pH, 1444
- Glycolytic enzyme polypeptides  
  identification, 951  
  *S. bayanus*, 951  
  *S. cerevisiae*, 951  
  two-dimensional protein map, 951  
  wine yeasts, 951
- Gramicidin  
  effect on methanogenesis, 179  
  inhibition, 179  
  methanogenic bacteria, 179
- Gram-negative enteric bacilli



- chickens, 638  
effect of antimicrobial agents, 638
- Grasses  
Bermuda grass, 825  
degradation, 825  
orchard grass, 825  
ruminal bacteria  
  *B. fibriosolvens*, 825  
  *B. succinogenes*, 825  
  *L. multiparus*, 825  
  *R. albus*, 825  
  *R. flavefaciens*, 825
- Great Salt Lake  
halophilic methanogen  
characterization, 877  
isolation, 877  
sediments, 877
- Gregatin A  
  *P. gregata*  
    production and purification, 1328  
    soybean vascular browning, 1328
- Growth, aerobic  
  *K. pneumoniae*  
    conversion of glycerol to  
      3-hydroxypropionaldehyde, 1444
- Growth kinetics  
  attached iron-oxidizing bacteria, 460  
  ferrous iron as energy source, 460  
  substrate utilization, 460
- Growth substrate  
  fish viscera, autolyzed  
    comparison with standard substrate,  
      1556  
    preparation and testing, 1556  
  soluble peptides and amino acids,  
    1556
- Guaiacoxycetic acid  
  rumen microorganisms  
    anaerobic degradation, 1451  
  yeast extract medium, 1451
- Habitat segregation  
  biochemical activities, 781  
  marine bacteria, 781  
  *Vibrionaceae*, 781
- Halophilic methanogens  
characterization, 877  
Great Salt Lake, 877  
isolation, 877
- Hansenula anomala*  
  fermentation of inoculated wines, 727  
  growth, 727
- Heat resistance  
  *Bacillus* spores  
    killing temperature, 1414  
    mineralization, 1414  
    stabilization against killing, 1414
- Heat treatment  
  destruction of outer membrane permeability barrier, 292  
  *E. coli* W3110, 292
- Hemicellulose  
  butanediol production, 924  
  *K. pneumoniae*, 924  
  sequential coculture, 924  
  *T. harzianum*, 924
- Hepatitis A virus  
  concentration from drinking water  
    filtration methods, 1457  
    organic flocculation, 1457
- Hepatotoxicity  
  *C. raciborskii*, 1292
- Heterokaryons  
  genetic recombination, 27  
  lignocellulose, 27  
  *P. chrysosporium*, 27
- Heterokaryosis  
  *A. oryzae* cyclopiazonic acid-defective strains, 1087  
  risk of inducing toxin production, 1087
- Heterotrophic bacteria  
  taxonomic characterization method  
    culture media, 1213  
    incubation temperature, 1213  
    water distribution systems, 1213
- Heterotrophic microbial metabolism  
  carbon isotopic fractionation, 996  
  *E. coli* K-12, 996
- Hexose monophosphate pathway  
  *A. amazonense*, 183  
  carbohydrate catabolism, 183
- High-arctic svalbard reindeer  
  ruminal microflora, 144  
  seasonal changes, 144
- High-pressure liquid chromatography  
  bacterial investigations, 229  
  *B. alba*, 1007  
  *E. coli* B, 1007  
  *E. coli* HB101, 1007  
  gregatin A production  
    *P. gregata*, 1328  
  marine environments, 229  
  molecular mass of bacterial genomic DNA, 1007  
  muramic acid measurements, 229  
  plasmid copy number, 1007  
  *S. coelicolor*, 1007
- Histamine  
  food poisoning outbreak, 1094  
  isolation of *L. buchneri*, 1094  
  Swiss cheese, 1094
- Horses  
  cecal bacteria  
    habitat-simulating recovery medium,  
      1439  
    nitrogen utilization patterns, 1439  
    taxonomic distribution, 1439
- Hot-water faucets  
  aerosol production  
    *L. pneumophila* transmission, 1128
- H<sub>2</sub> transfer  
  acetate, 589  
  coculture metabolism, 589  
  *D. vulgaris*, 589  
  *M. barkeri*, 589  
  methanol, 589  
  sulfate-dependent interspecies, 589
- Human diarrheal disease  
  *C. jejuni*, 177  
  *Giardia* spp., 177  
  muskrats, 177
- Human feces  
  *B. vulgatus* enumeration, 958  
  species-specific DNA hybridization probe, 958
- Human immune serum globulin  
  enteric virus detection and enumeration  
    immunoperoxidase method, 1308
- Human intestines  
  pectinolytic bacteria, isolation, 172  
  pectinophilic bacteria, 172
- Human lymphocyte blastogenesis  
  inhibition by 8-ketotrichothecene, 1304  
  inhibition by zearalenone, 1304
- Humidity  
  *R. meliloti*
- drying rate, 207  
  survival rate, 207  
  storage, 207
- Hydrogenase  
  determination of activity, 537  
  individual soybean nodules, 537  
  methylene blue reduction assay, 537  
  plasmid pRL6J1, 791  
  *R. japonicum*, 537  
  *R. leguminosarum*, 791  
  symbiotic nitrogen fixation, 791  
  uptake activity, 791
- Hydrogen 1-nitropyrene  
  *C. elegans*, 649  
  detoxification, 649  
  fungal metabolism, 649  
  *S. typhimurium*, 649
- Hydrogen-producing bacteria  
  gas metabolism, 595  
  lake sediments, 595  
  methanogenic bacteria, 595  
  sewage sludge, 595
- Hydroheptin production  
  fermentation by *S. chartreusis*  
    effect of copper, 1192  
    effect of phosphate, 1192
- 3'-Hydroxy HT-2 toxin  
  rats, 676  
  structures of deepoxytrichothecene metabolites, 676  
  T-2 tetraol, 676
- 3-Hydroxypropionaldehyde  
  production from glycerol  
    *K. pneumoniae* aerobic growth, 1444  
    optimal temperature and pH, 1444
- Immune deficiency  
  biological isolation, 1349  
  microflora study, 1349  
  severe combined immune deficiency,  
    1349
- Immune serum globulin, human  
  enteric virus detection and enumeration  
    immunoperoxidase method, 1308
- Immunoassays  
  rapid detection of salmonellae, 670  
  titanous hydroxide as solid phase, 670
- Immunochemical studies  
  fermented milk product villi, 174  
  *S. cremoris*, 174  
  Triton X-100-soluble surface components, 174
- Immunocompromised patients  
  cancer and bone marrow transplant patients  
    gamma irradiation of Arabic bread,  
      1531
- Immunofluorescence  
  culture, 194  
  determination of serological diversity  
    ammonia-oxidizing bacteria, 194  
    nitrite-oxidizing bacteria, 194  
  environment, 194  
  *Giardia* cysts  
    detection and identification, 1434
- Immunoperoxidase method  
  enteric virus detection and enumeration  
    human immune serum globulin, 1308
- Inactivation of viruses in water  
  methods of measurement  
    correction of deficiencies, 1144  
  evaluation, 1144
- Inclusion

- B. thuringiensis* subsp. *israelensis*, 56  
 components, 56  
 composition, 56  
 solubility, 56  
 toxicity, 56
- Indirect enzyme-linked immunosorbent assay  
 mycotoxins, 332  
 zearalenone, 332
- Indonesia  
 distribution of vibrios, 1388
- Infectivity  
 animal, 1115  
 excystation, 1115  
*G. muris*, 1115  
 measurement of cyst inactivation by chlorine, 1115
- Inoculant production  
 autoclaved peat, 398  
 diluted liquid cultures, 398  
 plant effectiveness, 398  
*Rhizobium* spp., 398  
 sterility requirements, 398  
 storage, 398
- Inoculation  
 2,4-dichlorophenol, 977  
 failure to enhance biodegradation, 977  
*p*-nitrophenol, 977  
*Pseudomonas* sp., 977
- Insecticides  
*B. thuringiensis*, 623  
*E. coli*, 623  
 k-23 type crystal protein gene cloning, 623  
 expression, 623  
 methyl parathion, 553  
 transformation by *Flavobacterium* sp., 553
- Interferons  
 batch culture, 503  
*B. subtilis*, 503  
 cloned human leukocyte interferon, 503  
 continuous culture, 503  
 optimal production, 503  
 restrained growth, 503
- Intertidal marine sediments  
 anthracene, 81  
 degradation, 81  
 mineralization, 81  
 naphthalene, 81
- Intestinal flora  
*C. perenne* in mouse intestines  
 effect of *C. difficile*, 1258  
 effect of copper-dipeptide complex, 1258
- Intestinal microbial flora  
 malabsorption, 68  
 phytohemagglutinin lectins, 68  
*P. vulgaris*, 68  
 rats, 68  
 small intestine, 68
- Ions  
 $\text{Ca}^{2+}$ , 1100  
 effect on plasmid transformation of protoplasts, 1100  
*S. lactis*, 1100
- Irradiation  
 Arabic bread  
 immunocompromised patients, 1531
- Ischnoderma resinosum*  
 aspen wood blocks, 568  
 selective delignification, 568
- Isoelectric focusing  
 rapid characterization of pectic enzymes, 615  
 sodium dodecyl sulfate-polyacrylamide gels, 615
- Isoflavones  
*A. rabiei*, 45  
 biochanin A, 45  
 degradation, 45  
 glucoside conjugates, 45
- Isolates  
 hydrobiologically dissimilar aquatic environments, 724  
 serotypes of *V. parahaemolytica*, 724
- Isolation  
 broth enrichment medium, 125  
*C. jejuni*, 535  
*C. jejuni*-*C. coli*, 125  
 comparison of methods, 535  
 raw milk, 535
- Isoprene oligomers  
 microbial degradation, 965  
 natural rubber vulcanizates, 965  
*Nocardia* sp. strain 835A, 965  
 production, 965
- Kanamycin  
 chickens, 638  
 effect on gram-negative enteric bacilli, 638
- 8-Ketotrichothecene  
 human lymphocyte blastogenesis inhibition, 1304
- Kinetics  
 biodegradation, 323  
*M. barkeri* methanogenesis  
 effect of phosphate, 1233  
 models, 323  
 non-growth-supporting organic compounds, 323
- Klebsiella aerogenes*  
 detoxification in continuous culture  
 cadmium, 1262  
 lead, 1262  
 mercury, 1262
- Klebsiella oxytoca*  
 cross-linked carboxymethyl cellulose degradation, 634  
 toxic shock syndrome, 634
- Klebsiella pneumoniae*  
 aerobic growth  
 conversion of glycerol to 3-hydroxypropionaldehyde, 1444  
 butanediol production  
 cellulose, 924  
 hemicellulose, 924  
 cross-linked carboxymethyl cellulose degradation, 634  
*E. aerogenes*, 383  
*E. coli*, 441  
 incidence in paper industry, 163  
 microbially enhanced oil recovery, 383  
 microbial penetration, 383  
 nutrient-saturated Berea sandstone, 383  
 osmotic tolerance, 441  
 proline overproduction, 441  
 recombinant plasmid, 441  
 sequential coculture, 924  
*S. typhimurium*, 441  
*T. harzianum*, 924  
 toxic shock syndrome, 634  
 upper respiratory tract, 163
- Kloeckera apiculata*  
 antimicrobial activity  
 identification and expression, 1330  
 fermentation of inoculated wines, 727  
 growth, 727
- Kluyveromyces lactis*  
 phenotypic expression of killer toxin, 257  
*S. cerevisiae*, 257  
*S. diastaticus*, 257  
*S. uvarum* (carlsbergensis), 257
- Kluyveromyces thermotolerans*  
 antimicrobial activity  
 identification and expression, 1330
- Lachnospira multiparus*  
 Bermuda grass, 825  
 degradation, 825  
 orchard grass, 825
- Lactic acid bacteria  
 recovery after lyophilization  
 effect of rehydration medium, 1339
- Lactobacillus acidophilus*  
 electrochemical classification, 238  
 strain ATCC 4356, 238
- Lactobacillus buchneri*  
 food poisoning outbreak, 1094  
 histamine producing, 1094  
 isolation, 1094  
 Swiss cheese, 1094
- Lactobacillus casei*  
 electrochemical classification, 238  
 strain ATCC 393, 238
- Lactobacillus fermentum*  
 electrochemical classification, 238  
 strain ATCC 9338, 238
- Lactobacillus lactis* TS4  
 metabolism, 1550  
 nitrite reduction  
 carbon dioxide production, 1550  
 kinetics, 1550  
 nitrous oxide production, 1550
- Lactobacillus plantarum*  
 plasmid visualization  
 rapid screening procedure, 1319  
 UV irradiation and electrophoresis, 1319
- Lactose utilization  
*X. campestris*  
 high-viscosity whey broth production, 1483  
 whey fermentation, 1483
- Laetisaria arvalis*  
 population dynamics, 1123  
*R. solani* hyperparasite, 1123
- Lakes  
 coastal lagoon, 426  
 incidence  
*V. cholerae*, 426  
 vibrios, 426  
 influence of discharges, 426  
 seawater, 426  
 terminal carbon metabolism  
 fall turnover, 1285  
 2,4,5-trichloroaniline degradation, 1177
- Lake sediments  
 gas metabolism, 595  
 hydrogen-producing bacteria, 595  
 methanogenic bacteria, 595  
 sewage sludge, 595
- Lamellae  
 broth medium, 690  
 ultrastructure of sporulating *B. larvae*, 690
- Larvicidal activity

- B. thuringiensis* subsp. *israelensis* toxin stability to amino acid modification, 1196  
stability to chemical treatments, 1196
- Larvicide**  
*B. thuringiensis*  
spore survival in soil, 1496
- Leaching parameters**  
cyanobacterium LPP OL3  
growth medium, 1296  
particle size, 1296  
protein concentration, 1296  
pulp density, 1296  
temperature, 1296
- Lead**  
detoxification by *K. aerogenes*  
sulfide formation, 1262  
interaction with *P. atlantica*  
bioreactor system, 1155
- Legionella pneumophila*  
aerosols  
hot-water faucets, 1128  
shower heads, 1128  
drinking water plumbing systems  
chemical environment, 1149  
growth, 1149  
metals, 1149  
enhanced chlorine resistance, 21  
*Flavobacterium* sp., 21  
tap water adapted, 21  
transmission via aerosols, 1128
- Legumes**  
*Rhizobium* sp. degradation, 717  
root hair cell wall, 717  
site of infection thread origin, 717
- Lentinus edodes*  
degradation of lignocellulose medium, 859  
extracellular enzymes, 859
- Leuconostoc oenos*  
Australian wines, 872  
bacteriophages  
occurrence, 872  
properties, 872  
biochemical properties, 680  
characterization, 680  
decomposition of malic acid, 680  
Oregon wines, 680
- Lignin**  
degradation by *C. versicolor*  
aromatic ring cleavage, 1505  
arylglycerol- $\beta$ -aryl ether substructure, 1505  
arylglycerol- $\gamma$ -formyl ester production, 1505  
degradation by *P. chrysosporium*  
agitated submerged cultures, 1274
- Ligninase**  
activity in culture, 1274  
production by *P. chrysosporium*  
agitated submerged cultures, 1274
- Lignin model compounds**  
veratrylglycerol- $\beta$ -guaiacyl ether  
anaerobic degradation by rumen microorganisms, 1451
- Lignocellulose**  
genetic recombination, 27  
heterokaryons, 27  
*P. chrysosporium*, 27
- Lignocellulose medium**  
degradation, 859  
extracellular enzymes, 859  
*L. edodes*, 859
- Limulus* ameocyte lysate test  
pyrogenicity detection  
*C. albicans*, 1509  
gram-negative bacteria, 1509  
gram-positive bacteria, 1509  
sensitivity and specificity, 1509
- Lipid analysis**  
thermophilic anaerobic digesters  
community structure, 1428  
microbial biomass, 1428  
nutritional status, 1428
- Lipoic acid**  
reduction by fecal coliforms  
potentiometric measurement, 1208
- Lipopolysaccharides**  
*R. japonicum*  
isolation, 1219  
2-keto-3-deoxyoctonic acid content, 1219  
SDS-PAGE analysis, 1219
- Liposan**  
bioemulsifier, 846  
characterization, 846  
*C. lipolytica*, 846  
purification, 846
- Liquid-phase studies**  
equine encephalomyelitis virus, 882  
ozone inactivation, 882  
Venezuela, 882
- Liver**  
*Y. enterocolitica*  
copper-induced injury, 406  
reduced virulence, 406
- Lyophilization**  
lactic acid bacteria  
effect of rehydration medium on recovery, 1339
- Macroptilium atropurpureum*  
root nodulation, 732  
stem nodulation, 732
- Mahimahi**  
isolation of spoilage bacteria, 546  
low-temperature production of urocanic acid, 546
- Malabsorption**  
intestinal microbial flora, 68  
phytohemagglutinin lectins, 68  
*P. vulgaris*, 68  
rats, 68  
small intestine, 68
- Malic acid**  
decomposition, 680  
*L. oenos*  
biochemical properties, 680  
characterization, 680  
Oregon wines, 680
- Mammalian cells**  
12,13-epoxytrichothecenes  
T-2, 914  
T-2 tetraol, 914  
protein synthesis, 914  
treatment with C-3-modified analogs, 914
- Manganese**  
coastal marine sediments, 491  
enrichment cultures, 491  
reduction, 491
- Mannitol**  
different uptake systems, 743  
maintenance during starvation, 743  
marine bacteria  
fermentative, 743  
oxidative, 743  
*Pseudomonas* sp., 743  
*Vibrio* sp., 743
- Maples**  
elms, 807  
isolation of anaerobic cellulolytic bacteria, 807  
wetwood, 807
- Marine bacteria**  
*A. luteoviolacea*, 543  
ammonia-oxidizing bacteria, 194  
biochemical activities, 781  
biofilm buildup, 837  
characterization of extracellular polysaccharides  
chemical, 837  
physical, 837  
habitat segregation, 781  
initial attachment, 837  
mannitol uptake systems, 743  
most-probable-number analysis, 350  
N<sub>2</sub>-fixing bacteria  
characterization, 350  
enumeration, 350  
isolation, 350  
nitrite-oxidizing bacteria, 194  
occurrence of  $\beta$ -aminoglutaric acid, 543  
*Pseudomonas* sp., 743  
*Pseudomonas* sp. strain NCMB 2021, 837  
serological diversity  
culture, 194  
environment, 194  
immunofluorescence, 194  
starvation, 743  
*Vibrionaceae*, 781  
*Vibrio* sp., 743
- Marine environments**  
bacterial investigations, 229  
high-pressure liquid chromatography, 229  
muramic acid measurement  
coastal sediments, 229  
sea surface microlayer, 229  
water column, 229
- Marine fjord**  
Mn(II) oxidation  
Mn(II) concentration, 1268  
oxygen tension, 1268  
temperature, 1268
- Marine sediments**  
*Vibrio* spp. and *A. hydrophila*  
temporal variation, 1490  
variation with sediment depth, 1490
- Mat formation**  
*Beggiatoa* spp., 373  
oxygen responses, 373
- Meats**  
direct isolation, 710  
*Y. enterocolitica*, 710  
*Y. pseudotuberculosis*, 710
- Media**  
anaerobic chemostat, 202  
broth enrichment medium, 125  
charcoal agar, 868  
combination of immunodiffusion procedure and Dezfalian medium, 1110  
cultivation of *C. perfringens*, 202  
detection of *C. botulinum*, 1110  
enrichment broths  
*C. jejuni* isolation, 1313  
fish disease bacterium, 868

- isolation of *C. jejuni*-*C. coli*, 125  
 rehydration medium  
 recovery of lyophilized bacteria, 1339  
*R. salmoninarum*, 868
- Media, aqueous  
 T-2 mycotoxin stability, 1311
- Membrane filters  
 gauze swabs, 611  
 isolation of *Campylobacter* spp., 611  
 surface water, 611
- Mercury  
 anoxic estuarine sediment, 498  
 detoxification by *K. aerogenes*  
 abiotic volatilization, 1262  
 sulfide formation, 1262  
 principal methylators, 498  
 sulfate-reducing bacteria, 498
- Mercury resistance  
*E. coli*, 38  
 pseudomonads, 38  
 salts, 38  
 temperature, 38  
 transfer, 38  
 vibrios, 38
- Merulius tremellosus*  
 aspen wood, 133  
 delignification, 133  
 solid-state fermentation, 133
- Metabolism  
 aerobic glucose metabolism  
 yield coefficients, 1132  
 carcinogens, 10  
 Direct Black 38, 10  
 esterase inhibitors, 115  
 human intestinal microbiota, 10  
 modification, 115  
 T-2 toxin, 115
- Metabolism, carbon  
 lake sediments  
 chemical changes, 1285  
 fall turnover, 1285  
 seasonal variation, 1285
- Metal-biofilm interactions  
 bioreactor system, 1155
- Metals  
 biofilm interaction  
 bioreactor system, 1155  
 detoxification by *K. aerogenes*, 1262  
*L. pneumophila* growth, 1149
- Methane  
 anaerobic degradation pathways, 292  
 benzoate, 292  
 fermentation, 292  
 ferulate, 292  
 inhibition experiments, 940  
 oxidation, 940  
 sulfate reduction, 940
- Methane-producing thermophilic digesters  
 bacterial lipid analysis  
 microbial parameter characterization, 1428
- Methanobacterium bryantii*  
 cultivation, 1107  
 effect of gramicidin, 179  
 GELRITE, 1107  
 inhibition, 179  
 strain M.o.H.G., 1107
- Methanobacterium formicicum*  
 cultivation, 1107  
 effect of gramicidin, 179  
 GELRITE, 1107  
 inhibition, 179  
 strain MF, 1107
- Methanobacterium* sp.  
 cultivation, 1107  
 GELRITE, 1107  
 strain FR-2, 1107
- Methanobacterium* sp. G2R  
 effect of gramicidin, 179  
 inhibition, 179
- Methanobacterium thermoautotrophicum*  
 effect of gramicidin, 179  
 inhibition, 179
- Methanobrevibacter arboriphilus*  
 cultivation, 1107  
 effect of gramicidin, 179  
 GELRITE, 1107  
 inhibition, 179  
 strain A2, 1107
- Methanobrevibacter ruminantium*  
 cultivation, 1107  
 GELRITE, 1107  
 strain M1, 1107
- Methanobrevibacter smithii*  
 cultivation, 1107  
 effect of gramicidin, 179  
 GELRITE, 1107  
 inhibition, 179  
 strain PS, 1107
- Methanococcus voltae*  
 effect of gramicidin, 179  
 inhibition, 179
- Methanogenesis  
*M. barkeri*  
 effect of phosphate, 1233  
 kinetics, 1233
- Methanogenic bacteria  
 acid-tolerant strain, 1542  
 antigenic fingerprinting, 1542  
 gas metabolism, 595  
 growth conditions, 1542  
 hydrogen-producing bacteria, 595  
 isolation from peatlands, 1542  
 lake sediments, 595  
 sewage sludge, 595
- Methanogenium marisnigri*  
 effect of gramicidin, 179  
 inhibition, 179
- Methanogens  
 association with butyrate-degrading bacteria, 1244  
 characterization, 140, 877  
 Great Salt Lake, 877  
 isolation, 140, 877  
 solar saltern, 140  
 strain SF1, DSM 3243, 140  
 trimethylamine, 140
- Methanol  
 acetate, 589  
 coculture metabolism, 589  
*D. vulgaris*, 589  
*M. barkeri*, 589  
 sulfate-dependent interspecies  $H_2$  transfer, 589
- Methanosarcina barkeri*  
 acetate, 589  
 coculture metabolism, 589  
*D. vulgaris*, 589  
 effect of gramicidin, 179  
 inhibition, 179  
 methanogenesis  
 effect of phosphate, 1233  
 kinetics, 1233  
 methanol, 589  
 sulfate-dependent interspecies  $H_2$  transfer, 589
- Methanosarcina mazei*  
 effect of gramicidin, 179  
 inhibition, 179
- Methanosarcina* sp.  
 nutritional requirements, 49  
 strain TM-1, 49
- Methanospirillum hungatei* GP1  
 effect of gramicidin, 179  
 inhibition, 179
- Methanospirillum hungatei* JF1  
 effect of gramicidin, 179  
 inhibition, 179
- Methylene blue reduction assay  
 determination of hydrogenase activity, 537  
 individual soybean nodules, 537  
*R. japonicum*, 537
- Methylglyoxal resistance gene  
*S. cerevisiae*  
 cloning, 1200  
 expression in *E. coli*, 1200  
 phenotypic characteristics, 1200  
 wild-type yeast strain breeding, 1200
- Methyl parathion  
 multiphasic kinetics, 553  
 transformation by *Flavobacterium* sp., 553
- Mice, axenic  
*C. perenne* in intestines  
 effect of *C. difficile*, 1258  
 effect of copper-dipeptide complex, 1258
- Microbial activity  
 correlation with sewage sludge biomass  
 effect of temperature, 1395
- Microbial decomposition  
 acidifying lakes, 315  
 bacterial counts, 315  
 cellulose, 315  
 central Ontario, 315  
 reduced pH, 315
- Microbial degradation  
 natural rubber vulcanizates, 965  
*Nocardia* sp. strain 385A, 965  
 production of isoprene oligomers, 965
- Microbially enhanced oil recovery  
*E. aerogenes*, 383  
*K. pneumoniae*, 383  
 microbial penetration, 383  
 nutrient-saturated Berea sandstone, 383  
 strain BCI-1NS, 383
- Microbial mineralization  
*Moraxella* sp. strain G, 447  
 ortho-cleavage pathway, 447  
 ring-substituted anilines, 447
- Microbial Mn(II) oxidation  
 Mn(II) concentration, 1268  
 oxygen tension, 1268  
 temperature, 1268
- Microbial nucleic acid synthesis  
 [ $^3H$ ]adenine, 706  
 measurement, 706  
 $^{32}PO_4$ , 706  
 specific growth rate, 706
- Microbial penetration  
*E. aerogenes*, 383  
*K. pneumoniae*, 383  
 microbially enhanced oil recovery, 383  
 nutrient-saturated Berea sandstone, 383
- Microflora  
 outdoor experimental streams, 127  
 pentachlorophenol, 127

- stream compartmental contributions, 127
- Microflora study**  
 controlled environment, 1349  
 isolator-maintained immunodeficient child, 1349  
 severe combined immune deficiency, 1349
- Micro-lipid-droplet encapsidation**  
*B. thuringiensis* subsp. *israelensis*, 984  
 control of mosquito larvae, 984  
 $\delta$ -endotoxin, 984
- Mineralization**  
 acidic, xeric forest soils, 454  
 anthracene, 81  
*Bacillus* spores  
   heat resistance, 1414  
   killing temperature, 1414  
   stabilization against killing, 1414  
 bacterial populations, 337  
 carbon, 454  
 degradation, 81  
 dissimilar bacterial densities, 816  
 effects of chemical speciation, 337  
 induction of new activities, 454  
 intertidal marine sediments, 81  
 naphthalene, 81  
 naturally occurring microbial communities, 337  
 nonlinear estimation of parameters of Monod kinetics, 816  
 nutrient cycling, 454  
 organic compounds, 337  
 plant-microbe associations, 454  
 substrate concentrations, 816  
 2,4,5-trichloroaniline degradation  
   microbial processes, 1177  
   photochemical processes, 1177
- Mn(II) oxidation**  
 Mn(II) concentration, 1268  
 oxygen tension, 1268  
 temperature, 1268
- Models**  
 kinetics of biodegradation, 323  
 non-growth-supporting organic compounds, 323
- Molecular analysis**  
 identification of *S. typhimurium* phage type 10, 1279
- Monoclonal antibody-based immunoassay**  
*C. botulinum*, 63  
 mouse bioassay, 63  
 neurotoxins, 63
- Monod kinetics**  
 dissimilar bacterial densities, 816  
 mineralization of substrate concentrations, 816  
 nonlinear estimation of parameters, 816
- Moraxella** sp.  
 microbial mineralization, 447  
 ortho-cleavage pathway, 447  
 ring-substituted anilines, 447  
 strain G, 447
- Mosquitoes**  
*B. thuringiensis* subsp. *israelensis*, 984  
 control of larvae, 984  
 $\delta$ -endotoxin, 984  
 micro-lipid-droplet encapsidation, 984
- Most-probable-number analysis**  
 $N_2$ -fixing bacteria  
   characterization, 350  
   enumeration, 350  
   isolation, 350  
 isolation, 350  
 most-probable-number analysis, 350  
 seawater, 350
- Mouse bioassay**  
*C. botulinum*, 63  
 monoclonal antibody-based immunoassay, 63  
 neurotoxins, 63
- Mouths**  
 dietary components, 704  
 normal humans, 704  
*Simonsiella* spp., 704
- Muramic acid**  
 bacterial investigations, 229  
 coastal sediments, 229  
 high-pressure liquid chromatography, 229  
 marine environments, 229  
 measurements, 229  
 sea surface microlayer, 229  
 water column, 229
- Mushrooms**  
 degradation of lignocellulose medium, 859  
 extracellular enzymes, 859  
*L. edodes*, 859
- Musk rats**  
 human diarrheal disease  
   *C. jejuni*, 177  
   *Giardia* spp., 177  
   *O. zibethica*, 177
- Mycotoxins**  
 broiler chickens, 102  
*F. roseum* 'Graminearum,' 102  
 indirect enzyme-linked immunosorbent assay, 332  
 8-ketotrichothecene and zearalenone  
   human lymphocyte blastogenesis, 1304  
 stability in aqueous media  
   effect of temperature, 1311  
   HBSS, 1311  
   tissue culture medium, 1311  
 TDP-1, 102  
 tibial dyschondroplasia, 102  
 zearalenone, 332
- Myrothecium roridum***  
 trichothecene production  
   7 $\alpha$ -hydroxytrichodermol, 1225
- NADH/NAD ratio**  
 amino acid deamination, 1368  
 rumen microorganisms, 1368
- Naphthalene**  
 anthracene, 81  
 degradation, 81  
 intertidal marine sediments, 81  
 mineralization, 81
- Nectaries**  
*A. flavus*, 602  
 cotton bolls, 602  
 entry sites, 602
- Negative-stain electron microscopy**  
 cell cultures, 523  
 membrane-associated viral complexes, 523  
 stools, 523
- Neurotoxins**  
*C. botulinum*, 63  
 monoclonal antibody-based immunoassay, 63  
 mouse bioassay, 63
- $N_2$ -fixing bacteria**  
 characterization, 350  
 enumeration, 350
- nif* genes**  
 nitrogen fixation, 41  
*R. fredii*, 41  
 soybean nodulation, 41
- Nitrates**  
 ammonium, 812  
 dissimilatory reduction, 812  
 nitrite, 812  
 nitrous oxide, 812  
*P. putrefaciens*, 812
- Nitrite**  
 ammonium, 812  
 dissimilatory nitrate reduction, 812  
 nitrous oxide, 812  
*P. putrefaciens*, 812
- Nitrite-oxidizing bacteria**  
 ammonia-oxidizing bacteria, 194  
 immunofluorescence  
   culture, 194  
   environment, 194  
   serological diversity, 194
- Nitrite reduction**  
*L. lactis* TS4  
 carbon dioxide production, 1550  
 nitrous oxide production, 1550
- Nitrogen**  
*A. brasilense*, 1021  
*A. lipoferum*, 1021  
*B. macerans*, 1021  
 cellulose decomposition, 1021  
*C. gelida*, 1021  
 fixation, 1021  
 plasmid pRL6J1, 791  
*R. leguminosarum*, 791  
 symbiotic fixation, 791  
 uptake hydrogenase activity, 791
- Nitrogen fixation**  
*nif* genes, 41  
*R. fredii*, 41  
 soybean nodulation, 41
- Nitrogen limitation**  
*R. flavefaciens* survival, 1361
- Nitrogen utilization**  
 equine cecal bacteria, 1439
- Nitrous oxide**  
 ammonium, 812  
 dissimilatory nitrate reduction, 812  
 nitrite, 812  
*P. putrefaciens*, 812  
*P. stutzeri* denitrification mutants  
   growth, 1301
- Nitrous oxide emission**  
 acid coniferous forest soil  
   soil pH, 1519  
 autotrophic ammonium oxidation, 1519
- Nitrous oxide production**  
*L. lactis* TS4  
 nitrite reduction, 1550
- N*-Nitrosodimethylamine**  
 aqueous systems, 1077  
 biodegradation, 1077  
 soil systems, 1077
- Nocardia* sp., strain 835A**  
 microbial degradation, 965  
 natural rubber vulcanizates, 965  
 production of isoprene oligomers, 965
- Nodulation**  
*Aeschynomene* spp., 733  
*A. hypogaea*, 733



- formation of high number of nodules on alfalfa, 1118  
*M. atropurpureum*, 733  
 regulation, 1118  
*R. meliloti* 102F15, 1118  
*R. meliloti* 102F15 mutant (WL3A150), 1118  
 root, 733  
*S. guianensis*, 733  
*S. rostrata*, 733  
 stem, 733  
 Nodulation of bean plants  
 rhizobia from ineffective alfalfa nodules  
 soil acidity, 1422  
 Nodules  
 alfalfa, 1118  
 regulation, 1118  
*R. meliloti*  
 strain 102F15, 1118  
 strain 102F15 mutant (WLA150), 1118  
 Norwalk virus  
 drinking water, 261  
 f2 bacteriophage, 261  
 human rotavirus, 261  
 inactivation by chlorine, 261  
 poliovirus type 1, 261  
 simian rotavirus, 261  
 Nutrients  
 acid, xeric forest soils, 454  
 carbon mineralization, 454  
 plant-microbe associations, 454  
 Nutrient starvation  
 nitrogen or cellobiose limitation  
*R. flavefaciens* survival, 1361  
 Nutrition  
 anaerobic chemostat, 202  
*Methanosarcina* sp. strain TM-1  
 requirements of *C. perfringens*, 202  
 Ochratoxin A  
 barley, 529  
 radioimmunoassay, 529  
 Odors  
*C. davisae*, 1048  
 potato-like, 1048  
 pyrazines, 1048  
*S. ficaria*, 1048  
*S. odorifera*, 1048  
*S. rubidaea*, 1048  
 Oil recovery  
 rock matrix contamination  
 bacteriophage gh-1, 1545  
*P. putida*, 1545  
 Oligodeoxyribonucleotide probes  
 enterotoxigenic *E. coli*  
 detection and enumeration, 1187  
 DNA colony hybridization, 1187  
 Orchard grass  
 Bermuda grass, 825  
 degradation, 825  
 ruminal bacteria, 825  
 Organic compounds  
 bacterial populations, 337  
 effects of chemical speciation, 337  
 mineralization, 337  
 naturally occurring microbial communities, 337  
 Organic solvents  
*B. thuringiensis* subsp. *israelensis* toxin  
 effect on larvicidal activity, 1196  
 ortho-Cleavage pathway  
 microbial mineralization, 447  
*Moraxella* sp. strain G, 447  
 ring-substituted anilines, 447  
*Oscillatoria* sp. strain Miami B67  
 activities measured amperometrically  
 oxygen-dependent hydrogen uptake, 287  
 photohydrogen production, 287  
 photooxygen evolution, 287  
 respiration, 287  
*A. cylindrica*, 287  
 Osmotic supports  
 presence during starvation, 713  
 survival of *S. cerevisiae*, 713  
 Osmotic tolerance  
*E. coli*, 441  
*K. pneumoniae*, 441  
 proline overproduction, 441  
 recombinant plasmid, 441  
*S. typhimurium*, 441  
 Outer membrane permeability barrier  
 destruction by heat treatment, 292  
*E. coli* W3110, 292  
 hydrophobicity of cell surface, 292  
 permeability to crystal violet, 292  
 release of alkaline phosphatase, 292  
 release of lipopolysaccharide, 292  
 sensitivity to phospholipase C, 292  
 Outer membrane proteins  
*Desulfotomaculum* spp., 31  
*Desulfovibrio* spp., 31  
 sulfate-reducing bacteria, 31  
 Oxidation  
 anaerobic methane, 940  
 inhibition experiments, 940  
 Mn(II), microbially catalyzed  
 Mn(II) concentration, 1268  
 oxygen tension, 1268  
 temperature, 1268  
 sulfate reduction, 940  
 Oxychlorine compounds  
 disinfecting capabilities, 1162  
 effect on f2 virus, 1162  
 Oxygen  
*Beggiatoa* spp., 373  
 denitrification rates, 801  
 low concentrations in water, 801  
 mat formation, 373  
 responses, 373  
 stratified Baltic proper, 801  
 Oxygen concentration  
*E. gracilis* Z  
 tocopherol production, 1404  
 Oyster mushroom  
 yellow blotch disease  
 humidity-symptom correlation, 1535  
*Pseudomonas agarici*, 1535  
 Oysters (*Crassostrea virginica*)  
 shellfish-associated human illness, 1548  
*V. vulnificus* uptake and clearance  
 temporal variation, 1548  
 Ozone  
 inactivation, 882  
 liquid-phase study, 882  
 Venezuelan equine encephalomyelitis virus, 882  
 Paper industry  
*K. pneumoniae*, 163  
 microbial incidence in upper respiratory tracts, 163  
 Paraspinal crystals of *B. thuringiensis*  
 survival in soil, 1496  
 Passive diffusion technique  
 concentration of short-chain volatile fatty acids, 1112  
 seawater, 1112  
 Peat bogs  
 bacterial growth  
*A. pullulans*, 160  
*A. viscosus*, 160  
*B. subtilis*, 160  
*R. arrhizus*, 160  
*X. campestris*, 160  
 dewatering, 160  
 pressate, 160  
 substrates, 160  
 Peatlands  
 methanogenic bacteria  
 growth conditions, 1542  
 isolation, 1542  
 Pectic enzymes  
 isoelectric focusing, 615  
 rapid characterization, 615  
 sodium dodecyl sulfate-polyacrylamide gels, 615  
 Pectinolytic bacteria  
 human intestine, 172  
 isolation, 172  
 limited nutrition, 172  
*Pediococcus cerevisiae*  
 plasmid DNA, 532  
*P. pentosaceus*, 532  
*Pediococcus pentosaceus*  
 bacteriocin activity, 1538  
*P. cerevisiae*, 532  
 plasmid DNA, 532  
 plasmid pMD136, 1538  
*Penicillium digitatum*  
 development of tolerance, 919  
 inhibitory effects  
 potassium sorbate, 919  
 sorbic acid, 919  
*P. italicum*, 919  
*Penicillium italicum*  
 development of tolerance, 919  
 inhibitory effects  
 potassium sorbate, 919  
 sorbic acid, 919  
*P. digitatum*, 919  
*Penicillium roqueforti*  
 chemical transformation, 729  
 eremofortin C, 729  
 genetics of ergoline alkaloid formation, 558  
 parasexual recombination, 558  
 PR toxin, 729  
*Penicillium candidum*  
 biopolymer gels, 108  
 survival, 108  
 water activity, 108  
 Pentachlorophenol  
 degradation  
*Flavobacterium* strains, 1512  
 outdoor experimental streams, 127  
 response of microflora, 127  
 stream compartmental contributions, 127  
*Phanerochaete chrysosporium*  
 agitated submerged cultures  
 ligninase production, 1274  
 lignin degradation, 1274  
 use of detergent, 1274  
 genetic recombination, 27  
 heterokaryons, 27  
 lignocellulose, 27  
 Phase-contrast microscopy

- Giardia* cysts  
detection and identification, 1434
- Phaseolus vulgaris*  
intestinal microbial flora, 68  
malabsorption, 68  
phytohemagglutinin lectins, 68  
rats, 68  
small intestine, 68
- Phaseolus vulgaris* (L.) Savi. (common bean)  
nodulation by rhizobia  
soil acidity, 1422
- Phenol  
continuous culture, 946  
degradation, 946  
different ratios of biofilm surface to culture volume, 946  
*P. putida* ATCC 11172, 946
- Phialophora gregata*  
gregatin A production and purification  
HPLC, 1328  
liquid extraction, 1328  
rice culture, 1328
- pH, internal  
*C. acetobutylicum*  
ATPase, 1165  
butanol, 1165  
nigericin, 1165
- Phosphate  
fermentation by *S. chartreusis*  
effect on chartreusin production, 1192  
effect on hydroheptin production, 1192
- Phosphate limitation  
*M. barkeri* methanogenesis  
kinetics, 1233  
uncoupling from cell growth, 1233
- Photochemical degradation  
eutrophic lake, 1177  
2,4,5-trichloroaniline, 1177
- Physicochemical analysis  
brine shrimp assay, 656  
*F. tricinatum* NRRL 3299, 656  
production of trichothecenes  
diacetoxyscirpenol, 656  
HT-2 toxin, 656  
neosalinol, 656  
T-2 toxin, 656
- Phytohemagglutinin lectins  
intestinal microbial flora, 68  
malabsorption, 68  
*P. vulgaris*, 68  
rats, 68  
small intestine, 68
- Phytotoxins  
gregatin A from *P. gregata*  
production and purification, 1328
- Plasmids  
attack by lytic bacteriophages, 851  
chromosomal mobilization, 1  
conjugal plasmid pTR2030, 851  
DNA, 532  
isolation, 1103  
partial characterization, 1103  
*E. amylovora*, 1  
*E. carotovora*, 1  
*E. chrysanthemi*, 1  
*E. coli*, 441  
effect of  $Ca^{2+}$  ions on transformation, 1100  
*K. pneumoniae*, 441  
*nif* genes, 41  
nitrogen fixation, 41  
osmotic tolerance, 441  
pAM $\beta$ 1 and pIP501  
conjunctive transfer to *L. plantarum*, 1319  
visualization procedures, 1319  
*P. cerevisiae*, 532  
plasmid pRL6J1, 791  
*P. pentosaceus*, 532  
*P. pentosaceus* pMD136  
bacteriocin immunity, 1538  
bacteriocin production, 1538  
food fermentation applications, 1538  
proline overproduction, 441  
pULB113, 1  
recombinant plasmid, 441  
*R. fredii*, 41  
*R. japonicum* symbiotic plasmid, 1219  
*R. leguminosarum*, 791  
R-prime formation, 1  
*S. cremoris* M12R transconjugants, 851  
*S. lactis* protoplasts, 1100  
soybean nodulation, 41  
*S. thermophilus*, 1103  
*S. typhimurium*, 441  
symbiotic nitrogen fixation, 791  
*T. ferrooxidans* spheroplasts, 721  
*Thermus* spp. from Yellowstone National Park, 1325  
transformation, 721  
uptake hydrogenase activity, 791
- Plastic surfaces  
*S. epidermis* adherence  
agar overlay method, 1322
- Pleurotus ostreatus*  
yellow blotch disease  
humidity-symptom correlation, 1535  
*Pseudomonas agarici*, 1535
- Plumbing systems  
*L. pneumophila* growth  
chemical environment, 1149  
metals, 1149
- p-Nitrophenol  
2,4-dichlorophenol, 977  
failure of inoculation to enhance biodegradation, 977  
*Pseudomonas* sp., 977
- Polioviruses  
chlorine inactivation, 261  
detection in aerosols  
aerosol collection device, 1181  
filter method, 1181  
drinking water, 261  
type 1, 261
- Polychlorinated biphenyls  
biphenyls, 1058  
kinetics of metabolism, 1058  
soil, 1058
- Polymannuronic acid  
characterization, 562  
cystic fibrosis, 562  
depolymerase, 562  
*P. aeruginosa*, 562  
purification, 562
- Polymers  
*Arthrobacter* sp., 629  
characterization, 629  
production, 629
- Polysaccharides  
biofilm buildup, 837  
characterization  
chemical, 837  
physical, 837  
initial attachment, 837  
marine bacterium, 837  
*Pseudomonas* sp. strain NCMB 2021, 837
- Polysaccharides, extracellular  
*R. japonicum*  
composition, 1219  
glycosyl linkages, 1219  
isolation, 1219
- Ponds  
bacterial thiosalt oxidation, 663  
parameters for operation, 663  
volume definition, 663
- Population  
African yellow baboons, 749  
antibiotic resistance, 749  
*E. coli*, 749  
structure, 749
- Population dynamics  
*L. arvalis*, 1123  
*R. solani*, 1123  
sugar beet, 1123
- Populus tremuloides*  
delignification, 133  
*M. tremellosus*, 133  
solid-state fermentation, 133
- Poria medulla-panis*  
aspen wood blocks, 568  
selective delignification, 568
- Potassium sorbate  
development of tolerance, 919  
inhibitory effect, 919  
*P. digitatum*, 919  
*P. italicum*, 919
- Potentiometric measurement  
lipoic acid reduction by fecal coliforms, 1208
- Pressates  
peat dewatering, 160  
substrate for bacterial growth  
*A. pullulans*, 160  
*A. viscosus*, 160  
*B. subtilis*, 160  
*R. arrhizus*, 160  
*X. campestris*, 160
- Prodigiosin  
droplet enrichment factors, 482  
possible selective function, 482  
*S. marcescens*  
nonpigmented, 482  
pigmented, 482
- Proline  
*E. coli*, 441  
*K. pneumoniae*, 441  
osmotic tolerance, 441  
overproduction, 441  
recombinant plasmid, 441  
*S. typhimurium*, 441
- Protease  
activation, 737  
*B. thuringiensis* subsp. *kurstaki*, 737  
deficient mutant, 1031  
entomocidal protoxin, 737  
extracellular, 1038  
growth of *A. salmonicida*, 1031  
peroxidase-antiperoxidase reagent, 1038  
*P. fragi*, 1038  
producer, 1031  
significance, 1031  
ultrastructural localization, 1038
- Protease activity  
*C. botulinum*, 16  
inhibition, 16

- sodium acid pyrophosphate, 16
- Protein**  
12,13-epoxytrichothecenes  
T-2, 914  
T-2 tetraol, 914  
mammalian cells, 914  
synthesis, 914  
treatment with C-3-modified analogs, 914
- Proteinases**  
*B. subtilis*, 94  
cloning, 94  
expression, 94  
*S. cremoris*, 94  
*S. lactis*, 94
- Proteus mirabilis**  
cross-linked carboxymethyl cellulose degradation, 634  
toxic shock syndrome, 634
- Proteus vulgaris**  
electrochemical classification, 238  
gram-positive bacteria, 238
- Proton motive force**  
growth of *C. acetobutylicum*  
acetogenic conditions, 1043  
solventogenic conditions, 1043  
membrane potential, 1043  
transmembrane pH gradient, 1043
- Protoplasts**  
cell wall regeneration, 1097  
*C. perfringens*, 1097  
effect of Ca<sup>2+</sup> ions on plasmid transformation, 1100  
formation, 1097  
genetic recombination, 693  
*S. lactis*, 1100  
*T. fusca*, 693  
transformation, 693
- Protoxins**  
*B. thuringiensis* subsp. *kurstaki*, 737  
entomocidal, 737  
protease activation, 737
- Pseudomonas aeruginosa**  
biochemical analysis, 364  
characterization, 562  
culture conditions, 364  
cystic fibrosis, 562  
*E. coli*, 364  
formation of filaments, 364  
mucoid strain, 562  
nutritional factors, 364  
*P. fluorescens*, 364  
polymannuronic acid depolymerase, 562  
*P. putida*, 364  
purification, 562
- Pseudomonas aeruginosa phenotype**  
*P. stutzeri* denitrification mutants  
growth in nitrous oxide, 1301
- Pseudomonas agarici**  
isolation and characterization, 1535  
pathogenicity studies, 1535  
yellow blotch disease  
humidity-symptom correlation, 1535  
*P. oxii* (oyster mushroom), 1535
- Pseudomonas atlantica**  
interaction with lead  
bioreactor system, 1155
- Pseudomonas fluorescens**  
adherence to roots, 392  
binding assay, 392  
biochemical analysis, 364  
colonization of roots, 392  
culture conditions, 364
- E. coli*, 364  
*E. coli* AB1157, 392  
*Flavobacterium* sp. strain MtCa-7, 392  
formation of filaments, 364  
nutritional factors, 364  
*P. aeruginosa*, 364  
*P. putida*, 364  
*Pseudomonas* sp. strain WD-13, 392  
*S. marcescens* QMB 1466, 392  
strain E6-22, 392
- Pseudomonas fragi**  
peroxidase-antiperoxidase reagent, 1038  
ultrastructural localization of an extracellular protease, 1038
- Pseudomonas pickettii**  
contamination of commercial sterile solutions, 1343  
growth dynamics and conditions, 1343  
growth in "sterile" saline, 1343
- Pseudomonas putida**  
ATCC 11172  
continuous culture, 946  
different ratios of biofilm surface to culture volume, 946  
phenol degradation, 946  
biochemical analysis, 364  
culture conditions, 364  
*E. coli*, 364  
formation of filaments, 364  
interaction with bacteriophage gh-1, 1545  
nutritional factors, 364  
*P. aeruginosa*, 364  
passage through Berea sandstone, 1545  
*P. fluorescens*, 364  
strain 40, 364
- Pseudomonas putrefaciens**  
ammonium, 812  
dissimilatory nitrate reduction, 812  
nitrite, 812  
nitrous oxide, 812
- Pseudomonas solanacearum**  
purification of subunit, 605  
reassembly of fimbrial hemagglutinin, 605  
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 605
- Pseudomonas** sp.  
adherence to roots, 392  
binding assay, 392  
biofilm buildup, 837  
characterization of extracellular polysaccharides  
chemical, 837  
physical, 837  
colonization of roots, 392  
2,4-dichlorophenol, 977  
*E. coli* AB1157, 392  
failure of inoculation to enhance biodegradation, 977  
*Flavobacterium* sp. strain MtCa-7, 392  
initial attachment, 837  
mannitol uptake systems, 743  
marine bacteria, 743  
*P. fluorescens* E6-22, 392  
*p*-nitrophenol, 977  
*S. marcescens* QMB 1466, 392  
starvation, 743  
strain NCMB 2021, 837  
strain WD-13, 392  
*Vibrio* sp., 743
- Pseudomonas stutzeri**  
denitrification mutants  
growth in nitrous oxide, 1301  
nitrous oxide reduction, 1301  
*P. aeruginosa* phenotype, 1301
- Pseudomonas syringae** pv. *phaseolicola*  
complementation of auxotrophic mutants, 169  
cosmid clone library, 169  
cosmid vector pVK102, 169  
isolation of wild-type genes, 169
- Pseudomonas** TOL plasmid enzymes  
*E. coli* K-12  
benzoate biotransformation, 1409  
*xylD* and *xylDL* genes, 1409
- Pyrazines**  
*C. davisae*, 1048  
potatolike odor, 1048  
*S. ficaria*, 1048  
*S. odorifera*, 1048  
*S. rubidaea*, 1048
- Pyrogenicity detection**  
*Limulus* amebocyte lysate test, 1509  
rabbit pyrogen assay, 1509
- Rabbit pyrogen assay**  
pyrogenicity detection  
*C. albicans*, 1509  
gram-negative bacteria, 1509  
gram-positive bacteria, 1509  
sensitivity and specificity, 1509
- Radioimmunoassays**  
barley, 529  
ochratoxin A, 529
- Rangifer tarandus platyrhynchus**  
ruminal microflora, 144  
seasonal changes, 144
- Rats**  
3'-hydroxy HT-2 toxin, 676  
structures of deepoxytrichothecene metabolites, 676  
T-2 tetraol, 676
- Raw milk**  
*C. jejuni*, 535  
methods for isolation, 535
- Reactor turbulence**  
aspartate transport system, 120  
thin wastewater biofilms, 120
- Reagents**  
peroxidase-antiperoxidase, 1038  
*P. fragi*, 1038  
ultrastructural localization of an extracellular protease, 1038
- Recombination**  
genetics of ergoline alkaloid formation, 558  
parasexual, 558  
*P. roquefortii*, 558
- Reduced pH**  
acidifying lakes, 315  
bacterial counts, 315  
cellulose, 315  
central Ontario, 315  
microbial decomposition, 315
- Reducing-equivalent disposal**  
amino acid deamination, 1368  
rumen microorganisms, 1368
- Rehydration**  
lyophilized lactic acid bacteria  
effect of rehydration medium on recovery, 1339
- Relative humidity**  
survival of *R. meliloti*, 207  
values during storage, 207

- Renibacterium salmoninarum*  
charcoal agar, 868  
fish disease, 868  
new growth medium, 868
- Resistance to butanol  
*C. acetobutylicum* mutants  
solvent production, 1238
- Rhizobia  
ineffective alfalfa nodules  
bean plant nodulation, 1422  
characterization as *R. meliloti*, 1422  
recovery from tropical soils, 1553  
antifungal agents, 1553  
streptomycin, 1553  
yeast-mannitol agar, 1553
- Rhizobium fredii*  
*nif* genes, 41  
nitrogen fixation, 41  
nodulation, 41  
soybeans, 41
- Rhizobium japonicum*  
biopolymer gels, 108  
characterization  
gel immunodiffusion, 1171  
immunofluorescence, 1171  
intrinsic antibiotic resistance, 1171  
determination of hydrogenase activity, 537  
extracellular polysaccharides  
isolation and partial characterization, 1219  
individual soybean nodules, 537  
lipopolysaccharides  
isolation and partial characterization, 1219  
methylene blue reduction assay, 537  
rice field soil  
alkali-producing rhizobia, 1171  
slow-growing rhizobia, 1171  
soybean field soil  
acid-producing rhizobia, 1171  
fast-growing rhizobia, 1171  
survival, 108  
symbiotic plasmid, 1219  
water activity, 108
- Rhizobium leguminosarum*  
plasmid pRL6J1, 791  
symbiotic nitrogen fixation, 791  
uptake hydrogenase activity, 791
- Rhizobium meliloti*  
biopolymer gels, 108  
drying rate, 207  
storage of different humidities, 207  
survival, 108  
survival rate, 207  
water activity, 108
- Rhizobium phaseoli* Olivia  
biopolymer gels, 108  
survival, 108  
water activity, 108
- Rhizobium* sp.  
degradation, 717  
legume root hair cell wall, 717  
site of infection thread origin, 717
- Rhizobium* spp.  
autoclaved peat, 398  
diluted liquid cultures, 398  
inoculant production, 398  
plant effectiveness, 398  
sterility requirements, 398  
storage, 398
- Rhizoctonia solani*  
population dynamics  
reduction by *L. arvalis*, 1123  
sugar beet pathogen, 1123
- R. meliloti*  
formation of high number of nodules on  
alfalfa, 1118  
nodule regulation, 1118  
strain 102F15, 1118  
strain 102F15 mutant (WLA150), 1118
- Roots  
adherence of bacteria, 392  
binding assay, 392  
colonization by bacteria, 392  
*E. coli* AB1157, 392  
*Flavobacterium* sp. strain MtCa-7, 392  
*P. fluorescens* E6-22, 392  
*Pseudomonas* sp. strain WD-13, 392  
*S. marcescens* QMB 1466, 392
- Rotaviruses  
human  
chlorine inactivation, 261  
drinking water, 261  
simian  
chlorine inactivation, 261  
drinking water, 261
- Rubber  
microbial degradation, 965  
natural vulcanizates, 965  
*Nocardia* sp. strain 835A, 965  
production of isoprene oligomers, 965
- Rumen  
bacteria, 825  
Bermuda grass, 825  
degradation, 825  
orchard grass, 825
- Rumen cellulolytic bacteria  
*R. flavefaciens*  
factors influencing survival, 1361  
nutrient starvation response, 1361  
survival capacity, 1361
- Rumen microflora  
high-arctic svalbard reindeer, 144  
seasonal changes, 144
- Rumen microorganisms  
amino acid deamination  
NADH/NAD ratio, 1368  
reducing-equivalent disposal, 1368  
guaiacoxycetic acid production and  
degradation, 1451  
methanogenesis, 1368  
veratrylglycerol- $\beta$ -guaiacyl ether degra-  
dation, 1451
- Ruminococcus albus*  
Bermuda grass, 825  
degradation, 825  
orchard grass, 825
- Ruminococcus flavefaciens*  
Bermuda grass, 825  
*B. fibrisolvens*, 356  
cellulolytic bacteria, 356  
degradation, 825  
energy intake, 356  
microbial numbers, 356  
nutrient starvation response, 1361  
orchard grass, 825  
partitioning of component digestibility,  
356  
sheep hindguts, 356  
survival capacity, 1361
- Saccharomyces bayanus*  
ethanol production  
enhancement by soy flour supplemen-  
tation, 1333
- glycolytic enzyme polypeptides, 951  
*S. cerevisiae*, 951  
two-dimensional protein map, 951  
wine yeasts, 951
- Saccharomyces cerevisiae*  
biopolymer gels, 108  
1,6-diphenyl-1,3,5-hexatriene, 685  
effect of carbon source, 257  
effect of pH, 257  
ethanol-induced growth inhibition, 685  
fermentation of inoculated wines, 727  
glycolytic enzyme polypeptides, 951  
growth, 727  
improvement by breeding program, 1064  
*K. lactis* killer toxin, 257  
methylglyoxal resistance gene  
cloning, 1200  
expression in *E. coli*, 1200  
phenotypic characteristics, 1200  
wild-type yeast strain breeding, 1200  
recovery, 685  
*S. bayanus*, 951  
spore conjugation, 1064  
strain Y5  
presence of osmotic supports, 713  
survival during starvation, 713  
survival, 108  
two-dimensional protein map, 951  
water activity, 108  
wine strain, 1064  
wine yeasts, 951
- Saccharomyces diastaticus*  
effect of carbon source, 257  
effect of pH, 257  
*K. lactis* killer toxin, 257
- Saccharomyces uvarum* (carlsbergensis)  
effect of carbon source, 257  
effect of pH, 257  
*K. lactis* killer toxin, 257
- Salmonellae  
immunoassays, 670  
rapid detection, 670  
titanous hydroxide as solid phase, 670
- Salmonella montevideo*  
*C. freundii*, 989  
*E. coli*, 989  
Israeli mirror carp, 989  
*S. faecalis*, 989  
*Tilapia aurea* (*Saratherodon aureus*),  
989  
wastewater, 989
- Salmonella newport*  
composted sewage sludge, 887  
growth, 887  
occurrence, 887  
suppression, 887
- Salmonella* sp.  
composted sewage sludge, 887  
growth, 887  
occurrence, 887  
suppression, 887
- Salmonella typhimurium*  
*C. elegans*, 649  
composted sewage sludge, 887  
detoxification of hydrocarbon  
1-nitropyrene, 649  
*E. coli*, 441  
fungal metabolism, 649  
growth, 887  
growth on granular activated carbon  
effect of river water organisms, 1378  
*K. pneumoniae*, 441  
occurrence, 887

- osmotic tolerance, 441  
 proline overproduction, 441  
 recombinant plasmid, 441  
 suppression, 887
- Salmonella typhimurium* phage type 10  
 etiologic agent of *Salmonella* food poisoning, 1279  
 identification methods  
   antibiotic resistance typing, 1279  
   biotyping, 1279  
   phage typing, 1279  
   plasmid and restriction endonuclease analysis, 1279  
 isolation from cheddar cheese, 1279
- Salt  
   *C. botulinum*  
     spore germination kinetics, 795  
     strain Ba410, 795  
     strain B-aphis, 795
- Salts  
   *E. coli*, 38  
   mercury resistance, transfer, 38  
   pseudomonads, 38  
   vibrios, 38
- Seafood  
 contamination by vibrios, 1388  
 contamination with vibrios, 1548
- Seawater  
 coastal lagoon, 426  
 concentration of short-chain volatile fatty acids, 1112  
 incidence  
   *V. cholerae*, 426  
   vibrios, 426  
 influence of lake discharges, 426  
 passive diffusion technique, 1112
- Seawater, deep ocean  
 microbial populations  
   effect of sewage outfalls, 1464
- Secretion  
   *T. reesei* Rut-C30  
     subcellular fractionation, 1137
- Sediment, deep ocean  
 microbial populations  
   effect of sewage outfalls, 1464
- Sediments, freshwater  
 terminal carbon metabolism  
   fall turnover, 1285
- Sediments, marine  
   *Vibrio* spp. and *A. hydrophila*  
     temporal variation, 1490  
     variation with sediment depth, 1490
- Selective medium  
   rhizobium recovery from tropical soils  
     antifungal agents, 1553  
     streptomycin, 1553  
     yeast-mannitol agar, 1553
- Selenomonas ruminantium*  
 glutamine synthetase activity, 1014  
*S. dextrinosolvens*, 1014
- Serotypes  
 hydrobiologically dissimilar aquatic environments, 724  
*V. parahaemolytica* isolates, 724
- Serratia ficaria*  
 potato-like odor, 1048  
 pyrazines, 1048  
 strain 4024, 1048
- Serratia marcescens*  
 cross-linked carboxymethyl cellulose degradation, 634  
 droplet enrichment factors, 482  
 nonpigmented, 482  
 pigmented, 482  
 prodigiosin, 482  
 strain QMB 1466  
   adherence to roots, 392  
   binding assay, 392  
   colonization of roots, 392  
   *E. coli* AB1157, 392  
   *Flavobacterium* sp. strain MtCa-7, 392  
   *P. fluorescens* E6-22, 392  
   *Pseudomonas* sp. strain WD-13, 392  
   toxic shock syndrome, 634
- Serratia odorifera*  
 potato-like odor, 1048  
 pyrazines, 1048  
 strain 1073, 1048
- Serratia rubidaea*  
 potato-like odor, 1048  
 pyrazines, 1048  
 strain 393, 1048
- Sesbania grandiflora*  
*G. fasciculatum*, 701  
*G. mosseae*, 701  
 inoculation of soil, 701  
 vesicular-arbuscular mycorrhizal fungi, 701
- Sesbania rostrata*  
 root nodulation, 732  
 stem nodulation, 732
- Severe combined immune deficiency, 1349
- Sewage  
 occurrence of multiple-antibiotic-resistant enteric bacteria, 930  
 oxidation lagoons, 930
- Sewage effluent discharge  
 deep ocean outfalls  
   effect on seawater and sediment microbiota, 1464  
   microbiology of surrounding sediment, 1464
- Sewage sludge  
 composts, 887  
 facultatively anaerobic bacterium, 1052  
 ferulate transformation  
   fermentative, 1052  
   oxidative, 1052  
 gas metabolism, 595  
 growth, 887  
 hydrogen-producing bacteria, 595  
 lake sediments, 595  
 methanogenic bacteria, 595  
 occurrence, 887  
*Salmonella* spp., 887  
 suppression, 887
- Sewage sludge biomass  
 correlation with microbial activity  
   effect of temperature, 1395
- Sewage sludge composting  
 carbon dioxide evolution rate, 1526  
 effect of temperature, 1526  
 microbial activity-biomass correlation  
   effect of temperature, 1395  
   physical and chemical parameters, 1395
- Shallow aquifers  
 characterization, 580  
 microbial population, 580  
 Oklahoma, 580  
 subsurface bacteria, 580
- Sheep  
 cellulolytic bacteria, 356  
 energy intake, 356  
 hindguts, 356  
 microbial numbers, 356  
 partitioning of component digestibility, 356
- Shellfish-associated human illness  
*Vibrio* spp. and *A. hydrophila*, 1490  
*V. vulnificus* contamination of oysters  
 depuration and chilling, 1548
- Shigella flexneri*  
 foodborne strain M4243, 337  
 recovery of tolerance to bile salts, 337  
 sensitivity to bile salts, 337  
 sublethal heat stress, 337
- Shower heads  
 aerosol production  
   *L. pneumophila* transmission, 1128
- Simonsiella* spp.  
 normal human mouths, 704  
 statistical association with dietary components, 704
- Sludge  
 enteroviruses  
   effect of season on isolation rates, 280  
   frequency of isolation, 280  
   frequency of occurrence, 280  
   identification, 280  
   wastewater treatment plants, 280
- Sodium acid pyrophosphate  
*C. botulinum*, 16  
 inhibition  
   protease activity, 16  
   toxicity, 16
- Sodium dodecyl sulfate-polyacrylamide gel electrophoresis  
 isoelectric focusing, 615  
*P. solanacearum*, 605  
 purification of subunit, 605  
 rapid characterization of pectic enzymes, 615  
 reassembly of fimbrial hemagglutinin, 605
- Soil  
 biphenyls, 1058  
*B. thuringiensis*  
   parasporal crystal survival, 1496  
   spore survival, 1496  
 carbon mineralization, 454  
 coniferous forest  
   autotrophic ammonium oxidation, 1519  
   nitrogen oxide emission, 1519  
   pH, 1519  
 forest  
   nutrient cycling, 454  
   plant-microbe associations, 454  
*G. fasciculatum*, 701  
*G. mosseae*, 701  
 inoculation with vesicular-arbuscular mycorrhizal fungi, 701  
 kinetics of metabolism, 1058  
 polychlorinated biphenyls, 1058  
 response of *S. grandiflora*, 701  
*R. japonicum* growth, 1171  
 tropical  
   rhizobium recovery, 1553
- Soil acidity  
 bean plant nodulation  
   rhizobia from ineffective alfalfa nodules, 1422
- Soil systems  
 aqueous systems, 1077  
 biodegradation of  
   *N*-nitrosodimethylamine, 1077
- Solar saltern



- characterization, 140  
 isolation, 140  
 moderately halophilic methanogen strain SF1, DSM 3243, 140  
 trimethylamine, 140
- Solid-state fermentation**  
 aspen wood, 133  
 delignification, 133  
*M. tremellosus*, 133
- Solid waste**  
 composts, 906  
 identification of thermophilic bacteria, 906
- Solvent production**  
 acetone, 477  
 butanol, 477  
*C. acetobutylicum*  
 butanol-resistant mutants, 1238  
 wild-type strains  
*C. acetobutylicum* P262 mutants, 477  
 ethanol, 477  
 immobilization, 477
- Sorbic acid**  
 development of tolerance, 919  
 inhibitory effect, 919  
*P. digitatum*, 919  
*P. italicum*, 919
- Soybean rhizobia**  
 rice field soil  
 acid production, 1171  
 slow growth, 1171  
 soybean field soil  
 acid production, 1171  
 fast growth, 1171
- Soybeans**  
 determination of hydrogenase activity, 537  
 individual nodules, 537  
 methylene blue reduction assay, 537  
*nif* genes, 41  
 nitrogen fixation, 41  
 nodulation, 41  
*R. fredii*, 41  
*R. japonicum*, 537
- Soy flour supplementation**  
*S. bayanus* fermentation  
 ethanol production, 1333
- Species diversity index**  
 bacteria, 899  
 effect of temperature, 899  
 thermophilic solid-waste composting, 899
- Specific growth rates**  
 $[^3\text{H}]$ adenine, 706  
 measurement, 706  
 microbial nucleic acid measurement, 706  
 $^{32}\text{PO}_4$ , 706
- Spheroplasts**  
 production, 721  
 regeneration, 721  
*T. ferrooxidans*, 721  
 transformation with plasmid, 721
- Spirochetes**  
 bovine rumen, 212  
*T. saccharophilum* PB  
 nutrition, 212  
 physiology, 212  
 ultrastructure, 212
- Spores**  
 acidic environments, 274  
 alcohol activation, 249  
*Bacillus* spp.  
 heat resistance, 1414  
 killing temperature, 1414  
 specific mineralization, 1414  
*B. cereus*, 274  
*C. botulinum*, 274  
 strain Ba410, 795  
 strain B-aphis, 795  
 cell wall, 438  
*C. perfringens*, 249  
 germination kinetics, 795  
 heat activation, 249  
 inhibition of germinant binding, 274  
 injury by alcohol, 249  
 role of streptomycin, 438  
 salt, 795  
*S. griseus*, 438
- Spores, *B. thuringiensis***  
 survival in soil  
 heat, 1496  
 nutrient amendments, 1496  
 pH, 1496  
 soil dryness, 1496
- Sporulation**  
*B. larvae*, 690  
 broth medium, 690  
 lamellae, 690  
 ultrastructure, 690
- Staib's *Guizotia abyssinica***  
 isolation  
*C. albicans*, 548  
*C. neoformans*, 548  
 trypan blue, 548
- Staphylococcal enterotoxin A**  
 processing, 696  
*S. aureus*, 696  
 transport, 696
- Staphylococcus aureus***  
 cross-linked carboxymethyl cellulose degradation, 634  
 electrochemical classification, 238  
 enterotoxin A, 696  
 processing, 696  
 strain IID 671, 238  
 toxic shock syndrome, 634  
 transfection enhancement  
 fibronectin, 1315  
 transport, 696
- Staphylococcus epidermidis***  
 cross-linked carboxymethyl cellulose degradation, 634  
 electrochemical classification, 238  
 strain ATCC 12228, 238  
 toxic shock syndrome, 634
- Staphylococcus epidermis***  
 adherence to plastic surfaces  
 agar overlay method, 1322
- Starvation**  
 maintenance of mannitol uptake systems, 743  
 marine bacteria  
 fermentative, 743  
 oxidative, 743  
 presence of osmotic supports, 713  
*Pseudomonas* sp., 743  
 survival of *S. cerevisiae* Y5, 713  
*Vibrio* sp., 743
- Sterile solutions**  
*P. pickettii* contamination, 1343
- Storage**  
 different relative humidities, 207  
*R. meliloti*  
 drying rate, 207  
 survival rate, 207
- Streams**  
 compartmental contributions, 127  
 pentachlorophenol, 127  
 response of microflora, 127
- Stream sediments**  
 activity, 508  
 bacterial biomass, 508  
 dissolved organic matter, 508  
 environmental variables, 508  
 metabolic state, 508  
 multiple assay comparisons, 508
- Streptococcus agalactiae***  
 cross-linked carboxymethyl cellulose degradation, 634  
 toxic shock syndrome, 634
- Streptococcus bovis***  
 electrochemical classification, 238  
 strain IID 676, 238
- Streptococcus cremoris***  
 attack by lytic bacteriophages, 851  
*B. subtilis*, 94  
 conjugal plasmid pTR2030, 851  
 fermented milk product villi, 174  
 immunochemical study, 174  
 M12R transconjugants, 851  
 proteinase  
 cloning, 94  
 expression, 94  
*S. lactis*, 94  
 slime-forming, encapsulated variants, 174  
 Triton X-100-soluble surface components, 174
- Streptococcus durans***  
 electrochemical classification, 238  
 strain IID 677, 238
- Streptococcus equinus***  
 electrochemical classification, 238  
 strain IID 680, 238
- Streptococcus faecalis***  
*C. freundii*, 989  
*E. coli*, 989  
 Israeli mirror carp, 989  
*S. montevideo*, 989  
*Tilapia aurea* (*Sarotherodon aureus*), 989  
 wastewater, 989
- Streptococcus faecium***  
 cross-linked carboxymethyl cellulose degradation, 634  
 toxic shock syndrome, 634
- Streptococcus group G* sp.**  
 cross-linked carboxymethyl cellulose degradation, 634  
 toxic shock syndrome, 634
- Streptococcus lactis***  
*B. subtilis*, 94, 540  
 construction of vectors  
 cloning, 540  
 promoter screening, 540  
 terminator screening, 540  
 effect of  $\text{Ca}^{2+}$  ions on plasmid transformation, 1100  
 proteinase  
 cloning, 94  
 expression, 94  
*S. cremoris*, 94  
*S. lactis* protoplasts, 1100
- Streptococcus mitis***  
 electrochemical classification, 238  
 strain IID 685, 238
- Streptococcus salivarius***  
 electrochemical classification, 238

- strain IID 5223, 238  
*Streptococcus sanguis*  
 electrochemical classification, 238  
 strain IID 5224  
*Streptococcus thermophilus*  
 ATP, 772  
 ATP-dependent enzyme, 777  
 galactokinase activity, 777  
 galactose transport, 772  
 plasmid DNA  
   isolation, 1103  
   partial characterization, 1103  
   role of exogenous energy source, 772  
*Streptomyces chartreusis* IMRU 3962  
 fermentation  
   chartreusin production, 1192  
   hydroheptin production, 1192  
*Streptomyces coelicolor*  
*B. alba*, 1007  
*E. coli*, 1007  
 high-pressure liquid chromatography, 1007  
 molecular mass of bacterial genomic DNA, 1007  
 plasmid copy number, 1007  
*Streptomyces griseus*  
 bacterial oxidation by codeine, 831  
 identification of transformation products, 831  
 role of streptomycin, 438  
 spore cell wall, 438  
*Streptomycin*  
 chickens, 638  
 effect on gram-negative enteric bacilli, 638  
 rhizobium recovery, 1553  
 role, 438  
*S. griseus*, 438  
 spore cell wall, 438  
 Stress  
*C. sapidus*, 420  
*E. gracilis* Z  
   tocopherol production, 1404  
 incidence of bacteremia, 420  
*Stylosanthes guianensis*  
 root nodulation, 733  
 stem nodulation, 733  
 Sublethal heat stress  
 bile salts  
   recovery of tolerance, 337  
   sensitivity, 337  
*S. flexneri* M4243, 337  
 Substrate concentration  
 aerobic glucose metabolism  
   yield coefficients, 1132  
 Substrates  
 bacterial growth  
   *A. pullulans*, 160  
   *A. viscosus*, 160  
   *B. subtilis*, 160  
   *R. arrhizus*, 160  
   *X. campestris*, 160  
 peat bogs, 160  
 pressate, 160  
 Substrate utilization  
 attached iron-oxidizing bacteria, 460  
 ferrous iron as energy source, 460  
 growth kinetics, 460  
 Subsurface bacteria  
 characterization, 580  
 microbial population, 580  
 Oklahoma, 580  
 shallow aquifers, 580  
*Succinivibrio dextrinosolvens*  
 glutamine synthetase activity, 1014  
*S. ruminantium*, 1014  
 Sugar beet (*Beta vulgaris* L.)  
 crown rot, 1123  
 population dynamics, 1123  
 Sulfate  
 inhibition experiments, 940  
 methane oxidation, 940  
 reduction, 940  
 Sulfate-reducing bacteria  
 anoxic estuarine sediment, 498  
 cell envelope proteins, 31  
*Desulfotomaculum* spp., 31  
*Desulfovibrio* spp., 31  
 outer membrane proteins, 31  
 principal methylators of mercury, 498  
 Surfaces  
 hydrophilic, 431  
 hydrophobic, 431  
 separate adhesion mechanisms, 431  
*V. proteolytica*, 431  
 Surface water  
 gauze swabs, 611  
 isolation of *Campylobacter* spp.  
 membrane filters, 611  
 Swiss cheese  
 food poisoning outbreak, 1094  
 isolation of histamine-producing  
   *L. buchneri*, 1094  
 Temperature  
 bacterial species diversity, 899  
*E. coli*, 38  
 effect, 899  
 mercury resistance, transfer, 38  
 pseudomonads, 38  
 thermophilic solid-waste composting, 899  
 vibrios, 38  
*tert*-Butylphenyl diphenyl phosphate  
*C. elegans*, 265  
 metabolism, 265  
 Tetracycline  
 chickens, 638  
 effect on gram-negative enteric bacilli, 638  
*Thermomonospora fusca*  
 genetic recombination, 693  
 protoplasts, 693  
 transformation, 693  
 Thermophiles  
*Thermus* spp. from Yellowstone  
   National Park  
   cryptic plasmids, 1325  
 Thermophilic anaerobic biodegradation  
   [<sup>14</sup>C]cellulose, 971  
   [<sup>14</sup>C]lignin, 971  
   [<sup>14</sup>C]lignocellulose, 971  
 Thermophilic anaerobic digesters  
 bacterial lipid analysis  
   microbial parameter characterization, 1428  
 Thermophilic bacteria  
 identification, 906  
 solid-waste composting, 906  
*Thermus* spp.  
 Yellowstone National Park  
   cryptic plasmids, 1325  
*Thiobacillus ferrooxidans*  
 spheroplasts  
   production, 721  
   regeneration, 721  
 transformation with plasmid, 721  
 Tibial dyschondroplasia  
 broiler chickens, 102  
*F. roseum* 'Graminearum,' 102  
 TDP-1 mycotoxin, 102  
 trichothecenes, 102  
*Tilapia aurea* (*Saratherodon aureus*)  
 Israeli mirror carp, 989  
 reactions to microorganisms  
   *C. freundii*, 989  
   *E. coli* B, 989  
   *S. faecalis*, 989  
   *S. montevideo*, 989  
 wastewater, 989  
 Titanous hydroxide  
 detection of salmonellae, 670  
 immunoassays, 670  
 solid phase, 670  
 T-2 mycotoxin  
 stability in aqueous media  
   effect of temperature, 1311  
   HBSS, 1311  
   tissue culture medium, 1311  
 Tocopherol (vitamin E)  
 production in *E. gracilis* Z  
   low-temperature acclimation, 1404  
   oxygen stress, 1404  
 Toilet flushing  
 aerosol production, 1181  
 virus recovery  
   aerosol collection device, 1181  
   filter method, 1181  
*Torulopsis glabrata*  
 cross-linked carboxymethyl cellulose  
   degradation, 634  
 toxic shock syndrome, 634  
 Toxicity  
*B. thuringiensis* subsp. *israelensis*, 56  
*B. thuringiensis* subsp. *israelensis* toxin  
   stability to amino acid modification, 1196  
   stability to chemical treatments, 1196  
*C. botulinum*, 16  
 composition, 56  
 inclusion, 56  
 inhibition, 16  
 sodium pyrophosphate, 16  
 Toxic shock syndrome  
 β-glucosidase, 634  
 cross-linked carboxymethyl cellulose  
   degradation, 634  
 vaginal microbes, 634  
 Toxins  
*A. oryzae*, 1087  
*B. thuringiensis* subsp. *israelensis*, 984  
 chemical transformation, 729  
 control of mosquito larvae, 984  
 cyclopiazonic acid-defective strains, 1087  
 δ-endotoxin, 984  
 eremofortin C, 729  
 heterokaryosis, 1087  
*K. lactis* killer toxin, 257  
 micro-lipid-droplet encapsidation, 984  
 phenotypic expression, 257  
*P. roqueforti*, 729  
 PR toxin, 729  
 risk of inducing production, 1087  
*S. cerevisiae*, 257  
*S. diastaticus*, 257  
*S. uvarum* (carlsbergensis), 257  
 Transconjugants  
 attack by lytic bacteriophages, 851

- conjugal plasmid pTR2030, 851  
*S. cremoris* M12R, 851
- Transfection**  
*S. aureus*  
 enhancement by fibronectin, 1315
- Transformation**  
 facultatively anaerobic bacterium, 1052  
 fermentative, 1052  
 ferulate, 1052  
 genetic recombination, 693  
 oxidative, 1052  
 products  
 bacterial oxidation by codeine, 831  
 identification, 831  
*S. griseus*, 831  
 protoplasts, 693  
 sewage sludge, 1052  
*T. fusca*, 693
- Transport**  
 ATP, 772  
 galactose, 772  
 role of exogenous energy source, 772  
*S. thermophilus*, 772
- Transposons**  
*E. chrysanthemi* EC16, 894  
*E. coli*, 894  
 export  
 cellulolytic enzymes, 894  
 pectolytic enzymes, 894  
 single-site chromosomal Tn5 insertions, 894
- Trees**  
 elms, 807  
 isolation of anaerobic cellulolytic bacteria, 807  
 maples, 807  
 wetwood, 807
- Treponema saccharophilum** PB  
 bovine rumen, 212  
 nutrition, 212  
 physiology, 212  
 ultrastructure, 212
- 2,4,5-Trichloroaniline**  
 freshwater lake  
 CO<sub>2</sub> production, 1177  
 microbial processes, 1177  
 photochemical processes, 1177
- Trichoderma harzianum**  
 butanediol production  
 cellulose, 924  
 hemicellulose, 924  
*K. pneumoniae*, 924  
 sequential coculture, 924
- Trichoderma reesei** Rut-C30  
 subcellular fractionation  
 cytosol, 1137  
 heavy vesicles, 1137  
 microsomes, 1137
- Trichothecenes**  
 brine shrimp assay, 656  
 diacetoxyscirpenol, 656  
*F. roseum* 'Graminearum', 102  
*F. tricinctum* NRRL 3299, 656  
 HT-2 toxin, 656  
 mammalian cells, 914  
*M. roridum*  
 7 $\alpha$ -hydroxytrichodermol, 1225  
 neosolaniol, 656  
 physicochemical analysis, 656  
 production, 656  
 protein synthesis, 914  
 T-2, 914  
 TDP-1 mycotoxin, 102
- treatment with C-3-modified analogs, 914  
 T-2 tetraol, 914  
 T-2 toxin, 656
- Trimethylamine**  
 moderately halophilic methanogen  
 characterization, 140  
 isolation, 140  
 strain SF1, DSM 3243, 140
- Tropical rain forest watersheds**  
 enumeration, 468  
 fecal indicators  
*B. adolescentis*, 468  
*E. coli*, 468  
 survival, 468
- Trypan blue**  
 isolation  
*C. albicans*, 548  
*C. neoformans*, 548  
 Staib's *G. abyssinica*, 548
- T-2 tetraol**  
 3'-hydroxy HT-2 toxin, 676  
 rats, 676  
 structures of deepoxytrichothecene metabolites, 676
- T-2 toxin**  
 esterase inhibitors, 115  
 modification of metabolism, 115
- Two-dimensional protein map**  
 glycolytic enzyme polypeptides, 951  
*S. bayanus*, 951  
*S. cerevisiae*, 951  
 wine yeasts, 951
- Upper respiratory tracts**  
*K. pneumoniae*, 163  
 microbial incidence, paper industry, 163
- Uptake activity**  
 hydrogenase, 791  
 plasmid pRL6JI, 791  
*R. leguminosarum*, 791  
 symbiotic nitrogen fixation, 791
- Uranium**  
 removal from coal  
 bacterial leaching, 1296  
 cyanobacterium LPP OL3, 1296
- Urocanic acid**  
 low-temperature production, 546  
 mahimahi (*C. hippurus*), 546  
 spoilage bacteria, 546
- Vectors**  
*B. subtilis*, 540  
 construction  
 cloning, 540  
 promoter screening, 540  
 terminator screening, 540  
*S. lactis*, 540
- Vegetative cell of B. thuringiensis**  
 survival in soil, 1496
- Venezuela**  
 equine encephalomyelitis virus, 882  
 liquid-phase study, 882  
 ozone inactivation, 882
- Veratrylglycerol- $\beta$ -guaiacyl ether**  
 rumen microorganisms  
 anaerobic degradation, 1451  
 yeast extract medium, 1451
- Vibrio alginolyticus**  
 seafood contamination, 1388  
 taxonomic characteristics  
 comparison with *V. parahaemolyticus*, 1388
- geographic determinants, 1388  
 Indonesian marine samples, 1388
- Vibrio cholerae**  
 coastal lagoon, 426  
 incidence, 426  
 influence of lake discharges, 426  
 related vibrios, 426  
 seawater, 426
- Vibrionaceae**  
 biochemical activities, 781  
 habitat segregation, 781  
 marine bacteria, 781
- Vibrio parahaemolyticus**  
 hydrobiologically dissimilar aquatic environments, 724  
 isolates, 724  
 seafood contamination, 1388  
 serotypes, 724  
 taxonomic characteristics  
 comparison with *V. alginolyticus*, 1388  
 geographic determinants, 1388  
 Indonesian marine samples, 1388
- Vibrio proteolytica**  
 hydrophilic surfaces, 431  
 hydrophobic surfaces, 431  
 separate adhesion mechanisms, 431
- Vibrio spp.**  
 distribution  
 Indonesian marine samples, 1388  
 estuarine sediments  
 temporal variation, 1490  
 variation with salinity, 1490  
 variation with sediment depth, 1490  
 mannitol uptake systems, 743  
 marine bacteria, 743  
*Pseudomonas* sp., 743  
 public health implications  
 seafood contamination, 1388  
 starvation, 743
- Vibrio vulnificus**  
 seawater  
 shellfish-associated human illness, 1548  
 uptake and clearance from oysters  
 temporal variation, 1548
- Villi**  
 fermented milk product, 174  
*S. cremoris*  
 immunochemical study, 174  
 slime-forming, encapsulated variants, 174  
 Triton X-100-soluble surface components, 174
- Viral complexes**  
 cell cultures, 523  
 membrane association, 523  
 negative-stain electron microscopy, 523  
 stools, 523
- Viricidal effectiveness (f2 virus)**  
 chlorate, 1162  
 chlorine dioxide, 1162  
 chlorite, 1162
- Virulence**  
 changes, 412  
 chlorine injury, 412  
 waterborne enteropathogens, 412
- Viruses**  
 concentration  
 modified cellulose filters, 1502  
 water pH, 1502  
 detection and enumeration  
 immunoperoxidase method, 1308  
 detection in aerosols

- aerosol collection device, 1181  
 filter method, 1181  
 equine encephalomyelitis virus, 882  
 inactivation, 1144  
 liquid-phase study, 882  
 ozone inactivation, 882  
 survival in fresh water  
 adhesion, 1144  
 contamination, 1144  
 freezing, 1144  
 Venezuela, 882  
 Vitamin E (tocopherols)  
 production in *E. gracilis* Z  
 low-temperature acclimation, 1404  
 oxygen stress, 1404  
 Volatile fatty acids  
 passive diffusion technique for concentration, 1112  
 seawater, 1112  
 short chain, 1112
- Wastewater  
 biofilm bacteria  
 aspartate transport system, 120  
 reactor turbulence, 120  
 Israeli mirror carp, 989  
 reactions of fish to microorganisms  
*C. freundii*, 989  
*E. coli*, 989  
*S. faecalis*, 989  
*S. montevideo*, 989  
*Tilapia aurea* (*Sarotherodon aureus*), 989  
 Wastewater treatment plants  
 enteroviruses  
 effect of season on isolation rates, 280  
 frequency of isolation, 280  
 frequency of occurrence, 280  
 identification, 280  
 sludge, 280  
 Water  
 fecal coliforms  
 lipoid acid reduction, 1208  
 potentiometric measurement, 1208  
 Giardia cysts  
 detection and identification, 1434  
 waterborne disease, 1434  
 hepatitis A virus  
 concentration methods, 1457  
 filtration, 1457  
 transmission, 1457  
 human enteric viruses  
 detection and enumeration, 1308  
 reservoir  
*C. raciborskii* isolation, 1292  
 virus concentration  
 modified cellulose filters, 1502  
 water pH, 1502  
 virus inactivation  
 methods of measurement, 1144  
 Water activity  
 biopolymer gels, 108  
 survival  
 bacteria, 108  
 fungi, 108  
 Waterborne viruses  
 concentration on cellulose filters, 1502  
 Water distribution systems  
 dysgonic, heterotrophic bacteria  
 taxonomic characterization method, 1213
- Wetwood  
 isolation of anaerobic cellulolytic bacteria, 807  
 living trees  
 elms, 807  
 maples, 807  
 Wheat  
 baking, 482  
 cleaning, 482  
 deoxynivalenol, 482  
*F. graminearum*, 482  
 milling, 482  
 Whey broth production  
*X. campestris*  
 lactose utilization, 1483  
 whey fermentation, 1483  
 Wines  
 Australia, 872  
 bacteriophages  
 occurrence, 872  
 properties, 872  
 fermentation, 727  
 growth of natural yeast flora, 727  
 improvement by breeding program, 1064  
*L. oenos*, 872  
 biochemical properties, 680  
 characterization, 680  
 decomposition of malic acid, 680  
 Oregon, 680  
*S. cerevisiae*, 1064  
 Wolinella succinogenes  
 characteristics, 304  
 degradation of benzenoids, 304  
 isolation, 304  
 strain P-2, 304  
 strain PA-1, 304  
 Xanthomonas campestris  
 high-viscosity whey broth production, 1483  
 lactose utilization, 1483  
 whey fermentation, 1483  
 X-ray microanalysis  
 individual bacterial cells  
 dry matter determination, 1251  
 elemental content determination, 1251  
 volume measurement, 1251  
 Xylan  
 activity, 1068  
*C. acetobutylicum*, 1068  
 endoglucanase activity, 1068  
 larch wood, 1068  
 Xylobolus frustulatus  
 aspen wood blocks, 568  
 selective delignification, 568  
 Yeast-mannitol agar  
 rhizobium recovery, 1553  
 Yeasts  
 antimicrobial activity  
 effect of pH, 1330  
 identification, 1330  
 methylene blue in culture, 1330  
*C. colliculosa*, 727  
*C. pulcherrima*, 727  
*C. stellata*, 727  
 fermentation of ?-xylose to ethanol  
 optimal conditions, 1486  
 fermentation of inoculated wines, 727  
 glycolytic enzyme polypeptides, 951  
 growth, 727  
*H. anomala*, 727  
 improvement by breeding program, 1064  
 isolation and screening, 1486  
*K. apiculata*, 727  
 methylglyoxal resistance gene  
 cloning, 1200  
 expression in *E. coli*, 1200  
 phenotypic characteristics, 1200  
 wild-type yeast strain breeding, 1200  
 nutritional profiles, 1486  
*S. bayanus*, 951  
*S. cerevisiae*, 727, 951, 1064  
 two-dimensional protein map, 951  
 wine, 951  
 wine strain, 1064  
 Yellow blotch disease  
 humidity-symptom correlation, 1535  
*Pleurotus ostreatus* (oyster mushroom), 1535  
*Pseudomonas agarici*, 1535  
 Yellowstone National Park  
*Thermus* spp. isolation  
 cryptic plasmids, 1325  
*Yersinia enterocolitica*  
 copper-induced injury, 406  
 direct isolation, 710  
 foods in France, 763  
 growth on granular activated carbon  
 effect of river water organisms, 1378  
 isolation, 763  
 meat, 710  
 reduced virulence, 406  
 related species  
*Y. frederiksenii*, 763  
*Y. intermedia*, 763  
*Y. kristensenii*, 763  
*Y. pseudotuberculosis*, 710  
*Yersinia frederiksenii*  
 foods in France, 763  
 isolation, 763  
*Y. enterocolitica*, 763  
*Y. intermedia*, 763  
*Y. kristensenii*, 763  
*Yersinia intermedia*  
 foods in France, 763  
 isolation, 763  
*Y. enterocolitica*, 763  
*Y. frederiksenii*, 763  
*Y. kristensenii*, 763  
*Yersinia kristensenii*  
 foods in France, 763  
 isolation, 763  
*Y. enterocolitica*, 763  
*Y. frederiksenii*, 763  
*Y. kristensenii*, 763  
*Yersinia pseudotuberculosis*  
 direct isolation, 710  
 meat, 710  
*Y. enterocolitica*, 710  
 Yield coefficients  
 heterogeneous bacterial mixture  
 cell density, 1132  
 glucose metabolism, 1132  
 substrate concentration, 1132  
 Zearalenone  
 human lymphocyte blastogenesis inhibition, 1304  
 indirect enzyme-linked immunosorbent assay, 332  
 mycotoxins, 332  
 Zooplankton  
 fish predation, 187  
 grazing on freshwater bacteria, 187